

BIDDING DOCUMENTS

FOR

**PROCUREMENT OF GENERAL MAINTENANCE,
CIVIL WORKS AND HYGIENE ITEMS**

FOR FY 2025-2026



PARAPLEGIC CENTER PESHAWAR (PCP)

Bidders are advised to read the contents of the Instruction to Bidders (ITB) carefully for filling up the Bidding Documents properly in order to become responsive.

Table of Contents

PART- I	1
SECTION-I.....	1
BIDDING PROCEDURE	1
SECTION-II.....	2
ELIGIBILITY OF BIDDER.....	2
SECTION-III	3
GENERAL AND SPECIAL CONDITIONS.....	3
PART-I	1
SECTION-I.....	1
BID SUBMISSION FORM	1
SECTION-II.....	2
CONTRACT FORM	2
SECTION-III	3
PRICE SCHEDULES.....	3

PART- I

SECTION-I

BIDDING PROCEDURE

Name of Project: Procurement of General Maintenance, Civil Works and Hygiene items

Address: Paraplegic Centre – Sector P 1, Street 10, Phase 4 Hayatabad, Peshawar, Pakistan.

Phone: +(92) (091) 9217902

Introduction

1. The Governing rule for the bidding procedure shall be governed by the Khyber Pakhtunkhwa Public Procurement of goods, works and services KPPRA Rules 2014. Sealed Bids are required for Purchase of General Maintenance, Civil Works and Hygiene items, for Paraplegic Center Peshawar, to be submitted in accordance with KP-PPRA Rules, 2014, via **“Single Stage Single Envelope Bidding Procedure”**. The envelope shall contain financial proposal for the whole package. The best evaluated responsive financial bid (including all tax Federal/Provincial applicable) shall be considered for award of contract. Bid must be accompanied with Call Deposit Receipt (CDR) amounting to Rs.50,000/- (Fifty Thousand only) on the name of **Chief Executive, Paraplegic Center Peshawar**.
2. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for active and timely communication.
3. The Bidder may after its submission, withdraw its bid prior to opening of financial bid/proposal.
4. For clarification of Bidding Documents, the applicants may send a written request before the financial bid submission date and time.
5. All prices quoted should be in Pak Rupees (PKR) and inclusive of all Government taxes applicable i.e., Federal and Provincial.
6. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;
 - b. It is received after the date and time fixed for its receipt;
 - c. The tender document and the bid are unsigned;
 - d. The offer is ambiguous;
 - e. The offer is conditional i.e., advance payment, or currency fluctuations etc.
 - f. The offer is from blacklisted firm in any Federal / Provincial Government/Semi-Government Departments.
 - g. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender before submission of documents on due date/time.
 - h. Any direct or indirect effort by a bidding firm to influence the Procuring Entity during the process of selection of a bidder or award of contract may besides rejection of its bid and will also lead to disqualification of firm/entity from participation in the Procuring Entity's future bids.

SECTION-II
ELIGIBILITY OF BIDDER

CHECK LIST

The provision of this checklist is essential prerequisite along with submission of tenders.

SR#	Detail	Yes/No	Page No
ESSENTIAL DOCUMENTS			
1.	Bid Security		
2.	Experience of Firms		
3.	Financial Position i. Income Tax & Sales Tax Certificate ii. KPRA Registration iii. Professional Tax Certificate iv. Status On ATL		
4.	Company profile		
5.	An affidavit on stamp paper of Rs.100/- submitting following clauses: i) That maintenance of goods and replacement of defective parts under warranty shall be done, ii) That the firm is never blacklisted on any grounds whatsoever.		
6.	List of products supplied, and/or work orders completed with Govt. and private sector.		

SECTION-III

GENERAL AND SPECIAL CONDITIONS

General and Special Conditions

7. The Procuring Entity will not be liable to change the quoted rates, increases due to inflation or any other factor.
8. The rates offered shall be valid till 30th June of the financial year.
9. Payment to the bidder/firm will be made through cross cheque after inspection of goods/equipment by inspection committee.
10. The contractor shall not be allowed to sublet the contract to any other contractor.
11. In case the successful bidder fails to supply the requisite goods within stipulated time (30 days) from the issuance of the work order, the Call deposit receipt will be forfeited to the Government and the bid will be cancelled.
12. The CDR will be released to all bidders, on or after 30th June of the financial year, subject to successful completion of their contracts.

Bid Evaluation

13. Criteria for bid evaluation is the lowest Evaluated Bid as per Specification, Quality Standard, Inspection/Test and Price, offered by the qualified responsive bidder.

Bid Security

14. Bids without bid security will not be entertained.
15. Bids must be accompanied with the bid security amounting to Rs. 50,000/- (Fifty Thousand only) on the name of Chief Executive, Paraplegic Center Peshawar.
16. The bid security may be forfeited:
 - a. If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or,
 - b. In case of a successful Bidder, if the Bidder fails to sign the contract.
 - c. In case of submission of false documents/CDR by Contractors, Paraplegic Center Peshawar, shall take ex-party decision/action i.e., blacklisting/forfeiting of call deposit under the KP-PPRA Act 2012/Rules 2014.
 - d. In case of quoting un-realistic rates and provision of substandard General Maintenance, Civil Works and Hygiene items, the bid shall be cancelled.

Bid Price and Currency

17. The price quoted shall be in accordance with the Price Schedule.
18. The price shall be in Pak Rupees and shall be fixed.
19. All the bids shall include relevant taxes on supply of goods both federal and provincial.

PART-II
SECTION-I
BID SUBMISSION FORM

Date:

No:

To

[PARAPLEGIC CENTRE PESHAWAR]

Having examined the bidding documents, we, the undersigned, offer to supply and deliver *[description of goods and services]* in conformity with the said bidding documents, in accordance with the Price Schedule, attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the **Purchase Order**.

We agree to abide by this Bid for a period till 30th June of the bidding financial year, from the date fixed for Bid opening, and it shall remain binding upon us and shall be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

In any case and at any stage of procurement process or thereafter for the verification purpose the Paraplegic Center Peshawar (PCP) has right to seek the clarification and call any document / record to authenticate the submitted document.

We understand that Paraplegic Center Peshawar (PCP) is not bound to accept the lowest or any received bid.

Dated this _____ day of _____ 2024

[Signature of the Bidder]

SECTION-II
CONTRACT FORM

THIS AGREEMENT made the ____ day of _____ 20____ between Paraplegic Center Peshawar (PCP) (hereinafter called “the Purchaser/Client”) of the one part and *[name of bidder]* of (hereinafter called “the Supplier”) of the other part:

WHEREAS the Paraplegic Center Peshawar (PCP) invited bids for certain goods and ancillary services, viz., *[brief description of goods and services]* and has accepted a bid by the Supplier for the supply of those goods and services, awarded to the supplier.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this contract words and expressions shall have the same meanings as are respectively assigned to them.
2. The bidding documents shall be deemed to form and be read and construed as integral part of this Contract,
3. The Client may add, delete, review any conditions or clause of the contract with mutual consent of the subject without affecting the substance of the bid process.

IN WITNESS where of the parties here to have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ (For the Paraplegic Center Peshawar (PCP))

Signed, sealed, delivered by _____ (For the Supplier)

SECTION-III
PRICE SCHEDULES
GENERAL MAINTENANCE

S.No	Item Name	Size/Unit/Specification	Price
1	Angle iron (Industrial)	Polished (Fresh and rust free)/ Kg	
2	Aldaraz brass for doors	15"/per piece	
3	Aldaraz brass for doors	12"/per piece	
4	Acrylic Sheet 4 mm	6' x 4' sheet size	
5	Acrylic Sheet 5 mm	6' x 4' sheet size	
6	Bedding strip wooden (imported wood)	2.5"x8'/per piece	
7	Bedding strip wooden (imported Nandar)	2.5"x8'/per piece	
8	Bedding strip wooden (deodar wood)	2.5"x8'/per piece	
9	Bedding strip PVC	3/4"x8'/per piece	
10	Bedding strip PVC	2.5"x8'/per piece	
11	Bedding Strip PVC Cornas	2"x8'/per piece	
12	Bedding Strip imported wood Cornas	2"x8'/per piece	
13	Barbed wire	per kg	
14	Bed sheets (Cotton) for single bed	61" x 113"	
15	Blind vertical with aluminum railing	SFT	
16	Ambar for polish	per kg / per packet	
17	Brick (1st class)	per brick	
18	Brick tile (Choka)	per brick	
19	Brass Qabza 7'	Per Length	
20	Canal sand (laha)	per secara /100 cft	
21	Catcher door magnet	2"/piece	
22	Catcher door magnet	3"/piece	
23	Cement	50 kg / Bag (Chirat, kohat, lucky)	
24	ceramic tiles for floor	per square meter	
25	ceramic tiles for wall	per square meter	
26	Chalk mitti	per Kg	
27	chips different sizes	30 kg / per bag	
28	Chips chemical (Vapro)	01 kg / per packet	
29	Chips Powder	30 kg / per bag	
30	Chitakhni (brass) 6"	Per piece	
31	Chitakhni (brass) 8"	Per piece/sheet	
32	Chipboard (lamination)	0.50" thick/sheet	
33	Chipboard (lamination)	0.75" thick/sheet	
34	Chipboard (simple)	0.25" thick/sheet	

35	Chipboard (simple)	0.50" thick/sheet	
36	Chipboard (simple)	0.75" thick/sheet	
37	Cored brick	per brick	
38	Crush stone	per secara	
39	Chlorpyrifos Insecticide	per liter	
40	DP Black Urea	per kg	
41	Door handle brass	8"/per piece	
42	Door handle brass	6"/per piece	
43	Door handle brass	4"/per piece	
44	Door qabza	2"/piece	
45	Door qabza	3"/piece	
46	Door qabza	4"/piece	
47	Door qabza	6"/piece	
48	Door qabza	8"/piece	
49	Door spring (double action)	4" /piece	
50	Door spring (double action)	5" (Chrome colour)/piece	
51	Door spring (double action)	6" (Chrome colour)/piece	
52	Drawer Lock	3/4"/per piece	
53	Drawer channel	12"/per set	
54	Fire hose pipe 3"	per yard	
55	Fire Extinguisher DCP Cylinder Refilling	6 Kg Cylinder	
56	Fire Extinguisher CO2 Cylinder Refilling	3 Kg Cylinder	
57	Fleece Microplush Soft Blanket	Width (45-50"), Length (95-100"), 100% Polyster, weigh approx. 2.3 kg	
58	Rubber pipe 1"	per yard	
59	Rubber pipe 1/2"	per yard	
60	Rubber pipe 3/4"	per yard	
61	Sona Urea	Per kg	
62	Distemper (Master, Sparco, Homex)	per bucket/22 kg	
63	Elfy Glue 50 gram	Per bottle	
64	Empty water dispenser bottle 19 liters	Per bottle	
65	Floor tile imported	per square meter	
66	Glass brown	5 mm / per sft	
67	Glass brown	8 mm / per sft	
68	Glass transparent	5mm / per sft	
69	Glass transparent	8mm / per sft	
70	Granite tile imported for floor	per square meter	
71	Granite tile imported for wall	per square meter	
72	Porcelain tile imported for floor	per square meter	

73	Porcelain tile imported for wall	per square meter	
74	Master tile for wall	per square meter	
75	Master tile for floor	per square meter	
76	Hydraulic door closer standard size	per piece	
77	Iron sheet (black barri)	Kg	
78	Black Square pipe 1 ", 18 guage	Per piece	
79	Black Square pipe 3/4", 18 guage	Per piece	
80	Black Square pipe 1.5", 18 guage	Per piece	
81	Galvanized sheet	Kg	
82	Kerosene oil	per litre	
83	Lacquer for polish (ICI, Sparco. Master)	per gallon	
84	Lock	Large/ piece	
85	Lock	Medium/piece	
86	Lock	Small/piece	
87	Lasani sheet (lamination)	1/4" (thickness)	
88	Lasani sheet (lamination)	3/4" (thickness)	
89	Lasani sheet (simple)	1/4" (thickness)	
90	Lasani sheet (simple)	3/4" (thickness)	
91	Lahori Gutka (brick facing)	2 ¼ x 1½ x 9"	
92	Laag for polish	per kg	
93	Main hole cover steel round shape 18 inches dia	Per Piece	
94	Mirror Holder clips	Per Piece	
95	Malmal cloth	per yard	
96	Marble for walls	per meter	
97	Marble scrap	per kg	
98	Marble stone for floor (Sunny white, Sunny gray)	12"x12" (6/8")/ per sft	
99	Marble stone for floor (Sunny white, Sunny gray)	12"x24" (6/8")/ per sft	
100	Marble strriup	2" / per secra	
101	Marble strriup	1" / per secra	
102	Marble/Tiles Cutting Machine	Power input 1200 to 1500 w, Voltage 220-240V, no- load RPM 11000 to 13000, Blade Dia 110x20 mm, cutting capacity max 34mm	
103	Marble/Tiles Cutting Blade 110x20 mm	Each	
104	Mattresses (cover with water proof raxine & zipper)	(Molty/Diamond/Dura) 78" x 36" x 6"	

105	Mattresses (cover with water proof raxine & zipper)	(Molty/Diamond/Dura) 78" x 36" x 4"	
106	Mattresses rexine cover & zipper	78" x 36" x 6"	
107	Mattresses rexine cover & zipper	78" x 36" x 4"	
108	Nail 1" 17no.	Per Kg	
109	Nail 2" topless	Per Kg	
110	Nail 3"	Per kg	
111	Paint Scraper (Nela)	4 pieces set	
112	Paint brush (best quality)	2" / per piece	
113	Paint brush (best quality)	3"/per piece	
114	Paint brush (best quality)	4" / per piece	
115	Paint brush (best quality)	5" / per piece	
116	Paint emulsion (Master, Sparco, Homex)	Per gallon	
117	Paint Enamel (Master, Sparco, Homex)	Per gallon	
118	Paint Weathershield (Master, Sparco, Homex)	Per gallon	
119	Paint wood finish (ICI, Sparco. Master)	Per gallon	
120	Precast concrete girder	per sft	
121	Precast concrete slab	Per sft	
122	Pillow	Foam filled	
123	Pillow	Polyester filled	
124	Pillow cover cotton	19" x 29"	
125	Razor wire	per kg	
126	Revolving Chairs	Imported with arms quality back Heavy duty steel structure 5-prong base Height/width adjustable seating of fine quality fabric	
127	Office Table	Made on Lamination sheet 3/4, L 48", W 24", H 30" with three drawers on right side & 8mm glass on top with all respect	
128	Office table	Made on Lamination sheet 3/4, L 48", W 36", H 30" with three drawers on right side & 8mm glass on top with all respect	
129	Tea/ coffee table large	Classic Coffee Table in Glass top and wooden legs in veneer with round corner, Dimesions 2'x4'x2'	

130	Tea/ coffee table small	Classic Coffee Table in Glass top and wooden legs in veneer with round corner , Dimesions 2'x2'x2'	
131	Executive Table	Structure made of solid shesham wood & imported lamination Sheet.Scratch resistant top with durable 2mm PVC edging.Inner frame made of soft wood .size 6x4x2.5 feet 3 sides covered tea tray 6 drawers with best quality imported channel NC Lacquer Polish.Rack made of veneer sheet with one draws good quality finished with NC Lacquer Polish complete in all respect.	
132	Sofa Set (5- Seater 3+1+1)	Structure made of solid shesham wood in single piece made of best quality of master molty foam project cloth cushioned .NC lacquer polish as approved color .latest design complete in all respect.	
133	3 seater Public Sofa (3 Seater)	Material Metal, Metal Type Stainless Steel (good quality)	
134	Office Filing Cabinet	W 18", D 24", H 52", 16 guage, 4 Drawers	
135	Medical Stool	Chrome plated structure with PU foam seat top, dia of stool seat 12", " Height adjustable by gas spring, 4-5 caster 2 inches	

136	Patient Bed	Full fowler bed, 18 gauge MS pipe with powder coated, Manual tilt facility using best quality ratchet, Fixed head & foot panels, Adjustable side rail for protection, Mobile on 6" diagonally locking 16 gauge bracket castors fitted with bearing and PU wheels, Dimensions: (78.5 x 36.5 x 24) inches, Tilt: (Head down 15 deg - Foot down 5 deg) with 6 inches best quality mattress covered by water proof rexine.	
137	Patitent screen	Dimensions 190 x 50 x 180 (h) cm, 16 gauge M.S steel fram with powder coated, Fold Flat for Storage. 3-Sections mounted on preferably 8 caster wheels 3",	
138	Examination couch	<p>* Should have one hydraulic pumps "power-packer" brand hi-lo function. *Should have height control from 50cm to 85cm by hydraulic pump.</p> <p>*The frame feet should be make round shape, avoid to hit people</p> <p>*Should have more material make better design for some frame parts. *</p> <p>Should have an adjustable backrest featuring double gas struts, angle adjustable from -30 to +60. * Able to liftup 225kg working weight from its lowest height or better.</p> <p>*Should have retractanle castors and make a new design for triangular parts. *Should be fire/ stain/mildew/oil/water/wear resistant.</p>	

139	Stretcher	16 guage MS steel pipe fram powder coated, removable tarpaulin/ rexine streched stretcher,sefty belt and safty side guard, 4 caster wheels 5", 2 wheels with breaks	
140	Bedside cabinet	Mild Steel sheet, Closed lower compartment with magnetic door locking, Open middle compartment,Drawer with ball bearing railing for smooth operation, Dimesions: L 40 x W 40 x H 82 cms, four wheel caster for moving	
141	Stage chair	Chair back height 3.5ft Seat height 20inch Seat width 20 inch Seat and back best quality foam Shesham wood Polish medium dark, carwin	
142	Sand (greenish)	per secara	
143	sand paper	per sft	
144	Sandpaper size150	per sheet	
145	Screw 1/2"	100 pieces pack	
146	Screw 1"	100 pieces pack	
147	Sealer for wood polish (ICI, Sparco, Master)	per gallon	
148	Soil	per secara	
149	Steel bar	per kg	
150	Spirit	per litre	
151	Surkhi Powder	50 kg Bag	
152	Soft foam block covered with water proof rexine with zipper	28" x 36" x 6"	
153	Soft foam block covered with water proof rexine with zipper	24" x 36" x 6"	
154	Thinner (Master, Sparco, Homex)	per Gallon	
155	Tile Bond	20 kg per bag	
156	Tile Grout	Per kg	
157	Tile colour (powder)	per kg	
158	Tuff tile	per square Feet	

159	Turpentine	per litre	
160	Varnish (Master, Sparco, Homex)	per gallon	
161	Wall putty (Master, Sparco, Homex)	per bucket	
162	Wall tile imported	per square meter	
163	Wheel barrow	per piece	
164	Wheel barrow wheel with rim complete	per piece	
165	White Cement (Chirat, Kohat, Lucky)	50 kg/per bag	
166	Water proof Rexine cover for soft foam block	28" x 36" x 6"	
167	Water proof Rexine cover for soft foam block	24" x 36" x 6"	
168	Wood size 2.5"*10'	Per Piece	
169	Wood Imported size 2"*1"*10'	Per Piece	
170	Plastic prayer mats 30ft x 4ft	Per Piece	
171	Floor cleaning machine	Voltage 220V-240V Power 1.5 HP Speed 175 Rpm/Min Base Plate Diameter 17 inch	
172	17 inches Brush for Floor cleaning Machine	Each	
173	17 inches Brush for Floor cleaning Machine Repairing	Each	
174	Undercoat for wood surfaces (Master, Sparco, Homex)	per gallon	
175	Green Mesh for Garden	SFT	
176	Office chair	Structure Made of (3"x2") best quality solid hard seasoned wood. Best quality Master Molty Foam, Seat and Back Cushioned with Cloth (Project Cloth).NC Lacquer Polish As Approved Color.	
177	Waste Collection Trolley	4 wheel bin system, capacity upto 600 liters, finished with high quality of plastic	
178	Cleaning Trolley	Two Plastic bucket holder, four diagonally locking casters, mops holder, removable waste bags,	
179	Fiberglass 2mm 2 ply	SFT	
180	Fiberglass 3mm 3 ply	SFT	
181	File Racks (4'x3') D= 16"	Made on Lamination lasani 3/4" complete with all respect	

CIVIL WORKS

S.No	Item Name	Size/unit	Price
1	Earth excavation in open cut 1.5m - 3m depth for S.W.Drains etc & disposal : in Very Hard Soil	Per Cft	
2	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	Cft	
3	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:4:8)	Cft	
4	RCC in roof slab, beam, column & other structural members, insitu or precast. Type C (1:2:4)	cft	
5	Pacca brick work in ground floor Cement, sand mortar 1:4	cft	
6	Pacca brick work in first floor Cement, sand mortar 1:6	cft	
7	Dismanteling ist class tile roofing	Sft	
8	Dismanteling of brick work	Sft	
9	First class tile roofing including earth, mud plaster, gobri, leeping, cement plaster etc complete	Sft	
10	1.5" thick mosaic flooring, including rubbing & polishing, complete : Using grey cement	sft	
11	Provide & lay marble fine dressed stone flooring on surface in white cement complete: 3/4" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	sft	
12	Rubbing and polishing old grit/mosaic floor, including repairing voids, uneven surface, complete	sft	
13	Mosaic dado or skirting complete as per specs Using grey cement : 1/2" thick	Sft	
14	Scraping old paint surface	SFT	
15	P/F CGI shed 18 guage complete with all respect	Sft	
16	P/F porcelene full body tile floor 1/4" thick laid cement 1:2 or 3/4" thick cement mortar 1:2 quality size colour shallbe approved as per sample and engineer incharge.	Sft	

17	P/F of Gutka facing Lahori bricks size 9 inch x 2.5 inch x 1.5 inch, in cement mortar 1:2	Sft	
18	P/F of precast RCC slab standard size	Sft	
19	Glazed tile 1/4" thick dado jointed in white cement, complete : White Plain tiles	Sft	
20	Distempering Old surface three coats	Sft	
21	Preparing surface and painting with emulsion paint : First coat, 2nd coat & subsequent coat	Sft	
22	First class deodar wood wrought joinery in doors and windows etc. complete 1"-3/4" thick	Sft	
23	Painting old surfaces any type walls, doors, windows etc: two coats	Sft	
24	Painting new surfaces any type walls, doors, windows etc: three coats	Sft	
25	Provide & laying conglomerate floor (two coat work) with top layer of 1/2" thick wearing surface of one part of cement 2 parts of stone chips passing 3/16" sieve over bottom layer of cement concrete (1:3:6) including surface finishing & dividing in panels: 1.5" thick	sft	
26	Provide/lay machine sprayed plaster 1/2" thick using cement & zero gauge chips : Ratio 1:2	sft	
27	Cement plaster 1:4, upto 20' height 3/4" thick	sft	
28	cement plaster 3/8" thick under soffit on Rcc roof slab only upto 20' height	sft	
29	Cement pointing flush, upto 20' height Ratio 1:3	sft	
30	White washing: Old surface : Two coats	sft	
31	Mosaic dado or skirting complete as per specs Using grey cement : 1/2" thick	sft	
32	Providing and Fixing marble strip 2" wide and 3/8" thick for dividing the floor into panels	rft	
33	P/F Precast Concrete 7000 psi TUFF Tiles over bed of 2" thick sand & 4" thick brick ballast comp	sft	
34	P/F Ceramic Floor Tiles (Emco, National or eq) Size : 12"x12"	sft	
35	P/F Ceramic Floor Tiles (Emco, National or eq) Size 20" x20"	sft	

36	supply and fixing ms 16 SWG sheet chowkat	rft	
37	S/F Aluminum guage 1.6mm door/windows/Partition premium 4" sect with 5mm glass	sft	
38	P/F of tennis court wire mesh 2"x2" 14 SWG , GI pipe 2" dia for vertical and horizantal members painting reviting etc comp	sft	
39	P/F of terrace railing of 2" 18 SWG bottom stops with 18 SWG welded GI sheet 2.75 hight i/c painting complete	sft	
40	Removing door with chowkat	each	
41	P/F marble fine dressed and polished stone dado or skirting in gray cement complete 3/4" thick (badel , silky black,sunny white ,sunny gray or eq)	sft	
42	P/F marble fine dressed and polished stone dado or skirting in gray cement complete 3/8" thick (badel , silky black,sunny white ,sunny gray or eq)	sft	
43	Supply and fixing Ms sheet 16 SWG box type chowkat i/c fixing in position with all charges for hold fast hinges and painting	Rft	
44	P/F GI wire gauge 24 SWG 12x12 mesh per sq inch fixed to steel window or doors etc	sft	
45	P/F of dampa ceiling perforated aluminum tile (24"x24")	each	
46	P/F of dampa ceiling perforated aluminum tile fixed (24"x24") with cross aluminum tee hung by soffit cleat fixed in roof	sft	
47	P/F of ornamental type deodar wood beading 2.5" to 3" wide 1/2" to 3/4" thick i/c polishing , painting complete	Sft	
48	P/F of ornamental type deodar wood beading 2.5" to 3" wide 1/2" to 3/4" thick i/c polishing , painting, aldaraz brass 12", 8" brass handle, 8" chitakhni & stainless steel sheet 16 SWG commercial kick plate complete with all respect	Sft	
49	P/L French polishing complete on new work	Sft	

50	P/L French polishing complete on old work	Sft	
51	P/L Lacquer polishing complete on new work	Sft	
52	P/L Lacquer polishing complete on old work	Sft	
53	Supply and fixing accoustic mineral fibre tile ceiling fixed with aluminum tee hung by GI wire fixed in roof	Sft	
54	Supply and fixing accoustic mineral fibre tile ceiling	each	
55	Supply and fixing Gypsum tile ceiling fixed with aluminum tee hung by GI wire fixed in roof	Sft	
56	P/L ceramic tiles on walls of 6mm (approx:1/4") thick colour quality size shall be approved as per sample and engineer incharge	Sft	
57	P/L granite fine dressed stone flooring on surface in white cement complete 3/4" thick	Sft	
58	Skilled Electrician	day	
59	Skilled Carpenter	day	
60	Skilled Plumber	day	
61	Skilled Painter	day	
62	Skilled Tailor		
63	Skilled Welder	day	
64	Skilled IT Technician	day	
65	Un skilled Labor	day	
66	Skilled Mason	day	
67	Skilled artist	day	
68	Repair of office chair with raxine cover & accessories	each	
69	Defuser system complete as per existing O.T	each	
70	Rubbing of floor mosaic	SFT	
71	Polishing of floor mosaic	SFT	
72	Rubbing of floor granite	SFT	
73	Polishing of floor granite	SFT	
74	Polishing of floor tiles	SFT	
75	S/F Led Wall as per standard specification of radiology	SFT	
76	P/F Fly screen shuttle complete with all respect	SFT	
77	P/F Fiber glass shad , Frame MS steel pipe 18 guage complete with all respect 3mm 3 ply	SFT	

78	P/F of brush finish stainless steel sheet 16 SWG commercial kick plate for wooden doors as per instruction/apporval of engineer incharge.	SFT	
79	P/F of stainless steel sheet brushed finished angle 1/2"x1/2" with silicon & screws as required 18 SWG commercial on corners of all square or rectangular columns using screws etc complete in all respect as per instruction/approval of engineer incharge.	RFT	
80	P/F of brush finish stainless steel sheet 16 SWG commercial kick plate for wooden doors as per instruction/apporval of engineer incharge.	SFT	
81	P/L Epoxy flooring complete with all respect best quality	SFT	
82	Rewinding of 1/2 horse power electric motor pure copper	Each	
83	Rewinding of 1 horse power electric motor pure copper	Each	
84	Rewinding of 1.5 horse power electric motor pure copper	Each	
85	Rewinding of 2 horse power electric motor pure copper	Each	
86	Rewinding of 7 horse power electric motor pure copper	Each	
87	Rewinding of 10 horse power electric motor pure copper	Each	
88	S/ F Frost paper 3D	SFT	
89	S/ F black paper	SFT	
90	S/F PVC wall Pannels	SFT	
91	S/F roller blinds with imported motor	SFT	
92	S/F plaster paris Box type ceiling complete	SFT	
93	S/F Stainless steel railing grade 304, 18 guage	RFT	
94	S/F Stainless steel grip bar grade 304, 18 guage	RFT	
95	Wardrobe Lamination lasani 3/4" D= 16" complete in all respect	SFT	
96	Wardrobe Lamination lasani 3/4" D= 24" complete in all respect	SFT	

97	Wooden partition Lassani Lamination & impoted lar complete with all respect	SFT	
98	Wooden partition Lassani Lamination 3/4" both sides & Ms square pipe 1.25" 18 guage frame complete with all respect	SFT	
99	Gypsum Board Partition 100 mm Complete in all respect, Gypsum Board size 12.5mm (4x6 feet), Double sided with double sheet, channel size 50mm, Glass wool fitted for sound proof, complete joints finishing by using compound & tape	SFT	
100	Gypsum Board Partition 100 mm Complete in all respect, Gypsum Board size 12.5mm (4x6 feet), Double sided with double sheet, channel size 50mm, complete joints finishing by using compound & tape	SFT	

Hygiene Items			
S.no	Item Name	Size/unit	Price
1	Air Freshner	per piece	
2	Broom	per kg	
3	Broom Handle	per piece	
4	Bleach Powder 25 kg	Bag	
5	Bleach Liquid	per litre	
6	Bathing Mug	per piece	
7	Biodegradable plastic bags different colors 20"*18"	Per kg	
8	Ceiling broom	per piece	
9	Commode Brush	per piece	
10	Cloth Brooms	per kg	
11	Plastic Bucket Small	per piece	
12	Plastic Bucket Medium	per piece	
13	Plastic Bucket Large	per piece	
14	Hand Brushes	per piece	
15	Carpet cleaning brush	per piece	
16	DDT Powder	Per packet	
17	Dust Bin plastic Small	per piece	
18	Dust Bin plastic medium	per piece	
19	Dust Bin plastic large	per piece	
20	Floor Scrub Brush with handle 18"	per piece	

21	Floor Scrub Brush 18" without handle	per piece	
22	Micro fiber cloth	per piece	
23	Mop Cloth	per piece	
24	Microfiber mop with handle	per piece	
25	Neel Powder 100 gram	packet	
26	Plastic bags Transparenent 20"*30"	per kg	
27	Plastic bags Blue with handles 35"*45"	per kg	
28	Plastic Trash Container, Upto 400 Liters with four wheels,	Per Piece	
29	Toilet paper	per roll	
30	Towels small size 20"x30"	per piece	
31	Towels medium size 21"x 40"	per piece	
32	Towels large size 50"x28"	per piece	
33	Rubber long boots	Per Pair	
34	Wiper 22" UPVC	per piece	
35	Wiper 24" UPVC	per piece	
36	Wiper 26" UPVC	per piece	
37	Wiper for glass cleaning	Per Piece	
38	Wiper Sheet	per sq ft	
39	Washing Soda	50 kg bag	
40	Weste Bins , Capicity upto 100 liters, with cap & wheels, high quality plastic	per piece	
41	Weste Bins ,Capicity upto 200 with cap & wheels, high quality plastic	per piece	
42	Padel Dustbins capicity upto 30 liters, high quality plastic	per piece	
43	Padel Dustbins capicity upto 30 liters,Fiber glass	per piece	
44	Floor Mate plastic	per sq ft	
45	Floor mate	per sq ft	
46	Floor mate rubber	per sq ft	
47	Stainless steel cleaner 750 ml	per piece	
48	Floor Cleaner (Harpic, Dettol, Kleanex) 1 liter	per piece	
49	Dustpan with brush	per piece	
50	Pesticides (Aluminum Phosphide)	bottle	
51	Rubber long Gloves	Pair	

Note:

1. In case of discrepancy between unit price and total, the unit price shall prevail.

2. In case of different Unit of Measurement (UoM), submitted by the supplier in the price schedule, conversion method will be adopted to reach to the defined Unit of Measurement (UoM), as mentioned in the bidding documents.
3. The suppliers are required to complete the price schedule carefully and in case of any discrepancy or multiple prices, the bid shall be considered, only as specified in the bidding documents.
4. All prices must be included with all prevailing taxes.