

BIDDING DOCUMENTS

FOR

PROCUREMENT OF GENERAL MAINTENANCE, CIVIL WORKS AND HYGIENE ITEMS

FOR FY 2026-2027



PARAPLEGIC CENTER PESHAWAR (PCP)

Bidders are advised to read the contents of the Instruction to Bidders (ITB) carefully for filling up the Bidding Documents properly in order to become responsive.

Table of Contents

PART- I	1
SECTION-I	1
BIDDING PROCEDURE	1
SECTION-II	2
ELIGIBILITY OF BIDDER.....	2
SECTION-III.....	3
GENERAL AND SPECIAL CONDITIONS	3
PART-II	4
SECTION-I	4
BID SUBMISSION FORM.....	4
SECTION-II	5
CONTRACT FORM.....	5
SECTION-III.....	6
PRICE SCHEDULES	6

PART- I

SECTION-I

BIDDING PROCEDURE

Name of Project: Procurement of General Maintenance, Civil Works and Hygiene items

Address: Paraplegic Centre – Sector P 1, Street 10, Phase 4 Hayatabad, Peshawar, Pakistan.

Phone: +(92) (091) 9217902

Introduction

1. The Governing rule for the bidding procedure shall be governed by the Khyber Pakhtunkhwa Public Procurement of goods, works and services KPPPRA Rules 2014. Sealed Bids are required for Purchase of General Maintenance, Civil Works and Hygiene items, for Paraplegic Center Peshawar, to be submitted in accordance with KP-PPRA Rules, 2014, via “**Single Stage Single Envelope Bidding Procedure**”. The envelope shall contain financial proposal for the whole package. The best evaluated responsive financial bid (including all tax Federal/Provincial applicable) shall be considered for award of contract. Bid must be accompanied with Call Deposit Receipt (CDR) amounting to Rs. 50,000/- (Fifty Thousand only) on the name of **Chief Executive, Paraplegic Center Peshawar**.
2. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for active and timely communication.
3. The Bidder may after its submission, withdraw its bid prior to opening of financial bid/proposal.
4. For clarification of Bidding Documents, the applicants may send a written request before the financial bid submission date and time.
5. All prices quoted should be in Pak Rupees (PKR) and inclusive of all Government taxes applicable i.e., Federal and Provincial.
6. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;
 - b. It is received after the date and time fixed for its receipt;
 - c. The tender document and the bid are unsigned;
 - d. The offer is ambiguous;
 - e. The offer is conditional i.e., advance payment, or currency fluctuations etc.
 - f. The offer is from blacklisted firm in any Federal / Provincial Government/Semi-Government Departments.
 - g. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender before submission of documents on due date/time.
 - h. Any direct or indirect effort by a bidding firm to influence the Procuring Entity during the process of selection of a bidder or award of contract may besides rejection of its bid and will also lead to disqualification of firm/entity from participation in the Procuring Entity's future bids.

SECTION-II
ELIGIBILITY OF BIDDER

CHECK LIST

The provision of this checklist is essential prerequisite along with submission of tenders.

SR#	Detail	Yes/No	Page No
ESSENTIAL DOCUMENTS			
1.	Bid Security		
2.	Experience of Firms		
3.	Financial Position i. Income Tax & Sales Tax Certificate ii. KPRA Registration iii. Professional Tax Certificate iv. Status On ATL		
4.	Company profile		
5.	An affidavit on stamp paper of Rs.100/- submitting following clauses: i) That maintenance of goods and replacement of defective parts under warranty shall be done, ii) That the firm is never blacklisted on any grounds whatsoever.		
6.	List of products supplied, and/or work orders completed with Govt. and private sector.		

SECTION-III
GENERAL AND SPECIAL CONDITIONS

General and Special Conditions

7. The Procuring Entity will not be liable to change the quoted rates, increases due to inflation or any other factor.
8. The rates offered shall be valid till 30th June of the financial year.
9. Payment to the bidder/firm will be made through cross cheque after inspection of goods/equipment by inspection committee.
10. The contractor shall not be allowed to sublet the contract to any other contractor.
11. In case the successful bidder fails to supply the requisite goods within stipulated time (30 days) from the issuance of the work order, the Call deposit receipt will be forfeited to the Government and the bid will be cancelled.
12. The CDR will be released to all bidders, on or after 30th June of the financial year, subject to successful completion of their contracts.

Bid Evaluation

13. Criteria for bid evaluation is the lowest Evaluated Bid as per Specification, Quality Standard, Inspection/Test and Price, offered by the qualified responsive bidder.

Bid Security

14. Bids without bid security will not be entertained.
15. Bids must be accompanied with the bid security amounting to Rs. 50,000/- (Fifty Thousand only) on the name of Chief Executive, Paraplegic Center Peshawar.
16. The bid security may be forfeited:
 - a. If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or,
 - b. In case of a successful Bidder, if the Bidder fails to sign the contract.
 - c. In case of submission of false documents/CDR by Contractors, Paraplegic Center Peshawar, shall take ex-party decision/action i.e., blacklisting/forfeiting of call deposit under the KP-PPRA Act 2012/Rules 2014.
 - d. In case of quoting un-realistic rates and provision of substandard General Maintenance, Civil Works and Hygiene items, the bid shall be cancelled.

Bid Price and Currency

17. The price quoted shall be in accordance with the Price Schedule.
18. The price shall be in Pak Rupees and shall be fixed.
19. All the bids shall include relevant taxes on supply of goods both federal and provincial.

PART-II
SECTION-I
BID SUBMISSION FORM

Date:

No:

To

[PARPLEGIC CENTRE PESHAWAR]

Having examined the bidding documents, we, the undersigned, offer to supply and deliver *[description of goods and services]* in conformity with the said bidding documents, in accordance with the Price Schedule, attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the **Purchase Order**.

We agree to abide by this Bid for a period till 30th June of the bidding financial year, from the date fixed for Bid opening, and it shall remain binding upon us and shall be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

In any case and at any stage of procurement process or thereafter for the verification purpose the Paraplegic Center Peshawar (PCP) has right to seek the clarification and call any document / record to authenticate the submitted document.

We understand that Paraplegic Center Peshawar (PCP) is not bound to accept the lowest or any received bid.

Dated this _____ day of _____ 2026

[Signature of the Bidder]

SECTION-II
CONTRACT FORM

THIS AGREEMENT made the ____ day of _____ 20____ between Paraplegic Center Peshawar (PCP) (hereinafter called “the Purchaser/Client”) of the one part and *[name of bidder]* of (hereinafter called “the Supplier”) of the other part:

WHEREAS the Paraplegic Center Peshawar (PCP) invited bids for certain goods and ancillary services, viz., *[brief description of goods and services]* and has accepted a bid by the Supplier for the supply of those goods and services, awarded to the supplier.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this contract words and expressions shall have the same meanings as are respectively assigned to them.
2. The bidding documents shall be deemed to form and be read and construed as integral part of this Contract,
3. The Client may add, delete, review any conditions or clause of the contract with mutual consent of the subject without affecting the substance of the bid process.

IN WITNESS where of the parties here to have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ (For the Paraplegic Center Peshawar (PCP))

Signed, sealed, delivered by _____ (For the Supplier)

SECTION-III
PRICE SCHEDULES
GENERAL MAINTENANCE

S.No	Item Name	Size/Unit/Specification	Price
1	Angle iron (Industrial)	Polished (Fresh and rust free)/ Kg	
2	Aldaraz brass for doors	15"/per piece	
3	Aldaraz brass for doors	12"/per piece	
4	Acrylic Sheet 4 mm	6' x 4' sheet size	
5	Acrylic Sheet 5 mm	6' x 4' sheet size	
6	Beading strip wooden (imported wood)	2.5"x8'/per piece	
7	Beading strip wooden (imported Nandar)	2.5"x8'/per piece	
8	Beading strip wooden (deodar wood)	2.5"x8'/per piece	
9	Beading strip wooden (deodar wood)	3"x8'/per piece	
10	Beading strip PVC	3/4"x8'/per piece	
11	Beading strip PVC	2.5"x8'/per piece	
12	Beading Strip PVC Cornas	2"x8'/per piece	
13	Beading Strip imported wood Cornas	2"x8'/per piece	
14	Barbed wire	per kg	
15	Bed sheets (Cotton) for single bed	61" x 113"	
16	Blind vertical with aluminum railing	SFT	
17	Ambar for polish	per kg / per packet	
18	Brick (1st class)	per brick	
19	Brick tile (Choka)	per brick	
20	Brass Qabza 7'	Per Length	
21	Canal sand (laha)	per secara /100 cft	
22	Catcher door magnet	2"/piece	
23	Catcher door magnet	3"/piece	
24	Cement	50 kg / Bag (Chirat, kohat, lucky)	
25	ceramic tiles for floor	per square meter	
26	ceramic tiles for wall	per square meter	
27	Chalk mitti	per Kg	
28	chips different sizes	30 kg / per bag	
29	Chips chemical (Vapro)	01 kg / per packet	
30	Chips Powder	30 kg / per bag	
31	Chitakhni (brass) 6"	Per piece	
32	Chitakhni (brass) 8"	Per piece/sheet	
33	Chipboard (lamination)	0.50" thick/sheet	
34	Chipboard (lamination)	0.75" thick/sheet	

35	Chipboard (simple)	0.25" thick/sheet	
36	Chipboard (simple)	0.50" thick/sheet	
37	Chipboard (simple)	0.75" thick/sheet	
38	Cored brick	per brick	
39	Crush stone	per secara/ 100 cft	
40	Chlorpyrifos Insecticide	per liter	
41	DP Black Urea	per kg	
42	Door handle	8"/per piece	
43	Door handle	6"/per piece	
44	Door handle	4"/per piece	
45	Door handle brass	8"/per piece	
46	Door handle brass	6"/per piece	
47	Door handle brass	4"/per piece	
48	Door qabza	2"/piece	
49	Door qabza	3"/piece	
50	Door qabza	4"/piece	
51	Door qabza	6"/piece	
52	Door qabza	8"/piece	
53	Door spring (double action)	4" /piece	
54	Door spring (double action)	5" (Chrome colour)/piece	
55	Door spring (double action)	6" (Chrome colour)/piece	
56	Drawer Lock	3/4"/per piece	
57	Drawer channel	12"/per set	
58	Fire hose pipe 3"	per yard	
59	Fire Extinguisher DCP Cylinder Refilling	6 Kg Cylinder	
60	Fire Extinguisher CO2 Cylinder Refilling	3 Kg Cylinder	
61	Fleece Micro plush Soft Blanket	Width (45-50"), Length (95-100"), 100% Polyester, weigh approx. 2.3 kg	
62	Rubber pipe 1"	per yard	
63	Rubber pipe 1/2"	per yard	
64	Rubber pipe 3/4"	per yard	
65	Sona Urea	Per kg	
66	Distemper (Master, Sparco, Homex)	per bucket/22 kg	
67	Elfy Glue 20 Gm	Per bottle	
68	Empty water dispenser bottle 19 liters	Per bottle	
69	Floor tile imported	per square meter	
70	Glass brown	5 mm / per sft	
71	Glass brown	8 mm / per sft	
72	Glass transparent	5mm / per sft	

73	Glass transparent	8mm / per sft	
74	Granite tile imported for floor	per square meter	
75	Granite tile imported for wall	per square meter	
76	Porcelain tile imported for floor	per square meter	
77	Porcelain tile imported for wall	per square meter	
78	Master tile for wall	per square meter	
79	Master tile for floor	per square meter	
80	Hydraulic door closer standard size	per piece	
81	Iron sheet (black barri)	Kg	
82	Black Square pipe 1 ", 18 gauge	Per piece	
83	Black Square pipe 3/4", 18 gauge	Per piece	
84	Black Square pipe 1.5", 18 gauge	Per piece	
85	Galvanized sheet	Kg	
86	Kerosene oil	per litre	
87	Lacquer for polish (ICI, Sparco. Master)	per gallon	
88	Lock	Large/ piece	
89	Lock	Medium/piece	
90	Lock	Small/piece	
91	Lasani sheet (lamination)	1/4" (thickness)	
92	Lasani sheet (lamination)	3/4" (thickness)	
93	Lasani sheet (simple)	1/4" (thickness)	
94	Lasani sheet (simple)	3/4" (thickness)	
95	Lahori Gutka (brick facing)	2 ¼ x 1½ x 9"	
96	Laag for polish	per kg	
97	Main hole cover steel round shape 18 inches dia	Per Piece	
98	Mirror Holder clips	Per Piece	
99	Malmal cloth	per yard	
100	Marble for walls	per meter	
101	Marble scrap	per kg	
102	Marble stone for floor (Sunny white, Sunny gray)	12"x12" (6/8")/ per sft	
103	Marble stone for floor (Sunny white, Sunny gray)	12"x24" (6/8")/ per sft	
104	Marble stirrup	2" / per secra	
105	Marble stirrup	1" / per secra	
106	Marble/Tiles Cutting Machine	Power input 1200 to 1500 w, Voltage 220-240V, no- load RPM 11000 to 13000, Blade Dia	

		110x20 mm, cutting capacity max 34mm	
107	Marble/Tiles Cutting Blade 110x20 mm	Each	
108	Mattresses (cover with water proof raxine & zipper)	(Molty/Diamond/Dura) 78" x 36" x 6"	
109	Mattresses (cover with water proof raxine & zipper)	(Molty/Diamond/Dura) 78" x 36" x 4"	
110	Mattresses rexine cover & zipper	78" x 36" x 6"	
111	Mattresses rexine cover & zipper	78" x 36" x 4"	
112	Nail 1" 17no.	Per Kg	
113	Nail 2" toplless	Per Kg	
114	Nail 3"	Per kg	
115	Paint Scraper (Nela)	4 pieces set	
116	Paint brush (best quality)	2" / per piece	
117	Paint brush (best quality)	3"/per piece	
118	Paint brush (best quality)	4" / per piece	
119	Paint brush (best quality)	5" / per piece	
120	Paint emulsion (Master, Sparco, Homex)	Per gallon	
121	Paint Enamel (Master, Sparco, Homex)	Per gallon	
122	Paint Weather shield (Master, Sparco, Homex)	Per gallon	
123	Paint wood finish (ICI, Sparco. Master)	Per gallon	
124	Precast concrete girder	per sft	
125	Precast concrete slab	Per sft	
126	Pillow	Foam filled	
127	Pillow	Polyester filled	
128	Pillow cover cotton	19" x 29"	
129	Razor wire	per kg	
130	Revolving Chairs	Imported with arms quality back Heavy duty steel structure 5-prong base Height/width adjustable seating of fine quality fabric	
131	Office Table	Made on Lamination sheet 3/4, L 48", W 24", H 30" with three drawers on right side & 8mm glass on top with all respect	
132	Office table	Made on Lamination sheet 3/4, L 48", W 36", H 30" with three drawers on right side &	

		8mm glass on top with all respect	
133	Tea/ coffee table large	Classic Coffee Table in Glass top and wooden legs in veneer with round corner, Dimesions 2'x4'x2'	
134	Tea/ coffee table small	Classic Coffee Table in Glass top and wooden legs in veneer with round corner, Dimesions 2'x2'x2'	
135	Executive Table	Structure made of solid shesham wood & imported lamination Sheet.Scratch resistant top with durable 2mm PVC edging.Inner frame made of soft wood .size 6x4x2.5 feet 3 sides covered tea tray 6 drawers with best quality imported channel NC Lacquer Polish.Rack made of veneer sheet with one draws good quality finished with NC Lacquer Polish complete in all respect.	
136	Sofa Set (5- Seater 3+1+1)	Structure made of solid shesham wood in single piece made of best quality of master molty foam project cloth cushioned .NC lacquer polish as approved color .latest design complete in all respect.	
137	3 seater Public Sofa (3 Seater)	Material Metal, Metal Type Stainless Steel (good quality)	
138	Office Filing Cabinet	W 18", D 24", H 52", 16 guage, 4 Drawers	
139	Medical Stool	Chrome plated structure with PU foam seat top, dia of stool seat 12", " Height	

		adjustable by gas spring, 4-5 caster 2 inches	
140	Patient Bed	Full fowler bed, 18 gauge MS pipe with powder coated, Manual tilt facility using best quality ratchet, Fixed head & foot panels, Adjustable side rail for protection, Mobile on 6" diagonally locking 16 gauge bracket castors fitted with bearing and PU wheels, Dimensions: (78.5 x 36.5 x 24) inches, Tilt: (Head down 15 deg - Foot down 5 deg) with 6 inches best quality mattress covered by water proof rexine.	
141	Patient screen	Dimensions 190 x 50 x 180 (h) cm, 16 gauge M.S steel fram with powder coated, Fold Flat for Storage.3-Sections mounted on preferably 8 caster wheels 3",	
142	Examination couch	* Should have one hydraulic pumps "power-packer" brand hi-lo function. *Should have height control from 50cm to 85cm by hydraulic pump. *The frame feet should be make round shape, avoid to hit people *Should have more material make better design for some frame parts. * Should have an adjustable backrest featuring double gas struts, angle adjustable from -30 to +60. * Able to liftup 225kg working weight from its lowest height or better. *Should have retractanle castors and make a new design for triangular parts. *Should be fire/ stain/mildew/oil/water/wear resistant.	

143	Stretcher	16 guage MS steel pipe fram powder coated, removable tarpaulin/ rexine streched stretcher,sefty belt and safty side guard, 4 caster wheels 5", 2 wheels with breaks	
144	Bedside cabinet	Mild Steel sheet, Closed lower compartment with magnetic door locking, Open middle compartment,Drawer with ball bearing railing for smooth operation, Dimesions: L 40 x W 40 x H 82 cms, four wheel caster for moving	
145	Stage chair	Chair back height 3.5ft Seat height 20inch Seat width 20 inch Seat and back best quality foam Shesham wood Polish medium dark, carwin	
146	Sand (greenish)	per secara/ 100 cft	
147	sand paper	per sft	
148	Sandpaper size150	per sheet	
149	Screw 1/2"	100 pieces pack	
150	Screw 1"	100 pieces pack	
151	Sealer for wood polish (ICI, Sparco, Master)	per gallon	
152	Soil	per secara/100 cft	
153	Silicon tube 310 ml	Per piece	
154	Steel bar	per kg	
155	Spirit	per liter	
156	Surkhi Powder	50 kg Bag	
157	Soft foam block covered with water proof rexine with zipper	28" x 36" x 6"	
158	Soft foam block covered with water proof rexine with zipper	24" x 36" x 6"	
159	Thinner (Master, Sparco, Homex)	per Gallon	
160	Tile Bond	20 kg per bag	
161	Tile Grout	Per kg	
162	Tile colour (powder)	per kg	

163	Tuff tile	per square Feet	
164	Turpentine	per litre	
165	Varnish (Master, Sparco, Homex)	per gallon	
166	Wall putty (Master, Sparco, Homex)	per bucket	
167	Wall tile imported	per square meter	
168	Wheel barrow	per piece	
169	Wheel barrow wheel with rim complete	per piece	
170	White Cement (Chirat, Kohat, Lucky)	50 kg/per bag	
171	Water proof Rexine cover for soft foam block	28" x 36" x 6"	
172	Water proof Rexine cover for soft foam block	24" x 36" x 6"	
173	Wood size 2.5"*10'	Per Piece	
174	Wood Imported size 2"*1"*10'	Per Piece	
175	Wood Imported size 11"*3/4"*8'	Per Piece	
176	Wood Imported size (27 x 60)*10'	Per Piece	
177	Plastic prayer mats 30ft x 4ft	Per Piece	
178	Floor cleaning machine	Voltage 220V-240V Power 1.5 HP Speed 175 Rpm/Min Base Plate Diameter 17 inch	
179	17 inches Brush for Floor cleaning Machine	Each	
180	17 inches Brush for Floor cleaning Machine Repairing	Each	
181	Undercoat for wood surfaces (Master, Sparco, Homex)	per gallon	
182	Green Mesh for Garden	SFT	
183	Office chair	Structure Made of (3"x2") best quality solid hard seasoned wood. Best quality Master Molty Foam, Seat and Back Cushioned with Cloth (Project Cloth).NC Lacquer Polish As Approved Color.	
184	Waste Collection Trolley	4 wheel bin system, capacity upto 600 liters, finished with high quality of plastic	
185	Cleaning Trolley	Two Plastic bucket holder, four diagonally locking casters, mops holder, removable waste bags,	
186	Fiberglass 2mm 2 ply	SFT	
187	Fiberglass 3mm 3 ply	SFT	

188	File Racks (4'x3') D= 16"	Made on Lamination lasani 3/4" complete with all respect	
189	Ms/GI sheet 16 SWG box type chowkat	Rft	
190	GI Corrugated sheet 3'x16' (26 gauge)	Per piece	
191	GI Corrugated sheet	Per kg	

CIVIL WORKS

S.No	Item Name	Size/unit	Price
1	Earth excavation in open cut 1.5m - 3m depth for S.W.Drains etc & disposal : in Very Hard Soil	Per Cft	
2	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	Cft	
3	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:4:8)	Cft	
4	RCC in roof slab, beam, column & other structural members, in-situ or precast. Type C (1:2:4)	cft	
5	Pacca brick work in ground floor Cement, sand mortar 1:4	cft	
6	Pacca brick work in first floor Cement, sand mortar 1:6	cft	
7	Dismantling 1st class tile roofing	Sft	
8	Dismantling of brick work	Sft	
9	First class tile roofing including earth, mud plaster, gobri, leeping, cement plaster etc complete	Sft	
10	1.5" thick mosaic flooring, including rubbing & polishing, complete : Using grey cement	sft	
11	Provide & lay marble fine dressed stone flooring on surface in white cement complete: 3/4" thick (Badel, Silky black, Sunny white, Sunny Grey or eq)	sft	
12	Rubbing and polishing old grit/mosaic floor, including repairing voids, uneven surface, complete	sft	

13	Mosaic dado or skirting complete as per specs Using grey cement : 1/2" thick	Sft	
14	Scraping old paint surface	SFT	
15	P/F CGI shed 18 guage complete with all respect	Sft	
16	P/F porcelene full body tile floor 1/4" thick laid cement 1:2 or 3/4" thick cement mortar 1:2 quality size colour shall be approved as per sample and engineer in charge.	Sft	
17	P/F of Gutka facing Lahori bricks size 9 inch x 2.5 inch x 1.5 inch, in cement mortar 1:2	Sft	
18	P/F of precast RCC slab standard size	Sft	
19	Glazed tile 1/4" thick dado jointed in white cement, complete : White Plain tiles	Sft	
20	Distempering Old surface three coats	Sft	
21	Preparing surface and painting with emulsion paint : First coat, 2nd coat & subsequent coat	Sft	
22	First class deodar wood wrought joinery in doors and windows etc. Complete 1"-3/4" thick	Sft	
23	Painting old surfaces any type walls, doors, windows etc: two coats	Sft	
24	Painting new surfaces any type walls, doors, windows etc: three coats	Sft	
25	Provide & laying conglomerate floor (two coat work) with top layer of 1/2" thick wearing surface of one part of cement 2 parts of stone chips passing 3/16" sieve over bottom layer of cement concrete (1:3:6) including surface finishing & dividing in panels: 1.5" thick	sft	
26	Provide/lay machine sprayed plaster 1/2" thick using cement & zero guage chips : Ratio 1:2	sft	
27	Cement plaster 1:4, upto 20' height 3/4" thick	sft	
28	cement plaster 3/8" thick under soffit on Rcc roof slab only upto 20' height	sft	
29	Cement pointing flush, upto 20' height Ratio 1:3	sft	
30	White washing: Old surface : Two coats	sft	

31	Mosaic dado or skirting complete as per specs Using grey cement : 1/2" thick	sft	
32	Providing and Fixing marble strip 2" wide and 3/8" thick for dividing the floor into panels	rft	
33	P/F Precast Concrete 7000 psi TUFF Tiles over bed of 2" thick sand & 4" thick brick ballast comp	sft	
34	P/F Ceramic Floor Tiles (Emco, National or eq) Size : 12"x12"	sft	
35	P/F Ceramic Floor Tiles (Emco, National or eq) Size 20" x20"	sft	
36	supply and fixing ms 16 SWG sheet chowkat	rft	
37	S/F Aluminum guage 1.6mm door/ windows/Partition premium 4" sect with 5mm glass	sft	
38	P/F of tennis court wire mesh 2"x2" 14 SWG , GI pipe 2" dia for vertical and horizontal members painting reviting etc comp	sft	
39	P/F of terrace railing of 2" 18 SWG bottom stops with 18 SWG welded GI sheet 2.75 hight i/c painting complete	sft	
40	Removing door with chowkat	each	
41	P/F marble fine dressed and polished stone dado or skirting in gray cement complete 3/4" thick (badel , silky black, sunny white ,sunny gray or eq)	sft	
42	P/F marble fine dressed and polished stone dado or skirting in gray cement complete 3/8" thick (badel , silky black, sunny white ,sunny gray or eq)	sft	
43	P/F GI wire gauge 24 SWG 12x12 mesh per sq inch fixed to steel window or doors etc	sft	
44	P/F of dampa ceiling perforated aluminum tile (24"x24")	each	
45	P/F of dampa ceiling perforated aluminum tile fixed (24"x24") with cross aluminum tee hung by soffit cleat fixed in roof	sft	

46	P/F of ornamental type deodar wood beading 2.5" to 3" wide 1/2" to 3/4" thick i/c polishing , painting complete	Sft	
47	P/F of ornamental type deodar wood beading 2.5" to 3" wide 1/2" to 3/4" thick i/c polishing , painting, aldaraz brass 12", 8" brass handle, 8" chitakhni & stainless steel sheet 16 SWG commercial kick plate complete with all respect	Sft	
48	P/L French polishing complete on new work	Sft	
49	P/L French polishing complete on old work	Sft	
50	P/L Lacquer polishing complete on new work	Sft	
51	P/L Lacquer polishing complete on old work	Sft	
52	Supply and fixing accoustic mineral fibre tile ceiling fixed with aluminum tee hung by GI wire fixed in roof	Sft	
53	Supply and fixing accoustic mineral fibre tile ceiling	each	
54	Supply and fixing Gypsum tile ceiling fixed with aluminum tee hung by GI wire fixed in roof	Sft	
55	P/L ceramic tiles on walls of 6mm (approx:1/4") thick colour quality size shall be approved as per sample and engineer incharge	Sft	
56	P/L granite fine dressed stone flooring on surface in white cement complete 3/4" thick	Sft	
57	Skilled Electrician	day	
58	Skilled Carpenter	day	
59	Skilled Plumber	day	
60	Skilled Painter	day	
61	Skilled Tailor		
62	Skilled Welder	day	
63	Skilled IT Technician	day	
64	Un skilled Labor	day	
65	Skilled Mason	day	
66	Repair of office chair with raxine cover & accessories	each	
67	Defuser system complete as per existing O.T	each	
68	Rubbing of floor mosaic	SFT	
69	Polishing of floor mosaic	SFT	
70	Rubbing of floor granite	SFT	

71	Polishing of floor granite	SFT	
72	Polishing of floor tiles	SFT	
73	S/F Led Wall as per standard specification of radiology	SFT	
74	P/F Fly screen shuttle complete with all respect	SFT	
75	P/F Fiber glass shad , Frame MS steel pipe 18 gauge complete with all respect 3mm 3 ply	SFT	
76	P/F of brush finish stainless steel sheet 16 SWG commercial kick plate for wooden doors as per instruction/approval of engineer incharge.	SFT	
77	P/F of stainless steel sheet brushed finished angle 1/2"x1/2" with silicon & screws as required 18 SWG commercial on corners of all square or rectangular columns using screws etc complete in all respect as per instruction/approval of engineer incharge.	RFT	
78	P/F of brush finish stainless steel sheet 16 SWG commercial kick plate for wooden doors as per instruction/approval of engineer incharge.	SFT	
79	P/L Epoxy flooring complete with all respect best quality	SFT	
80	Rewinding of 1/2 horse power electric motor pure copper	Each	
81	Rewinding of 1 horse power electric motor pure copper	Each	
82	Rewinding of 1.5 horse power electric motor pure copper	Each	
83	Rewinding of 2 horse power electric motor pure copper	Each	
84	Rewinding of 7 horse power electric motor pure copper	Each	
85	Rewinding of 10 horse power electric motor pure copper	Each	
86	S/ F Frost paper 3D	SFT	
87	S/ F black paper	SFT	
88	S/F PVC wall Panels	SFT	
89	S/F roller blinds with imported motor	SFT	
90	S/F plaster Paris Box type ceiling complete	SFT	

91	S/F Stainless steel railing grade 304, 18 gauge	RFT	
92	S/F Stainless steel grip bar grade 304, 18 gauge	RFT	
93	Wardrobe Lamination lassani 3/4" D= 16" complete in all respect	SFT	
94	Wardrobe Lamination lassani 3/4" D= 24" complete in all respect	SFT	
95	Wooden partition Lassani Lamination 1/2" both sides & imported lar complete with all respect	SFT	
96	Wooden partition Lassani Lamination 1/2" both sides & Ms square pipe 1.25" 18 gauge frame complete with all respect	SFT	
97	Gypsum Board Partition 100 mm Complete in all respect, Gypsum Board size 12.5mm (4x6 feet), Double sided with double sheet, channel size 50mm, Glass wool fitted for sound proof, complete joints finishing by using compound & tape	SFT	
98	Gypsum Board Partition 100 mm Complete in all respect, Gypsum Board size 12.5mm (4x6 feet), Double sided with double sheet, channel size 50mm, complete joints finishing by using compound & tape	SFT	

Hygiene Items

S.no	Item Name	Size/unit	Price
1	Air Fresher	per piece	
2	Broom	per kg	
3	Bleach Powder 25 kg	Bag	
4	Bleach Liquid	per litre	
5	Bathing Mug	per piece	
6	Biodegradable plastic bags different colors 20"*18"	Per kg	
7	Ceiling broom	per piece	
8	Commode Brush	per piece	
9	Cloth Brooms	per kg	
10	Plastic Bucket Small	per piece	
11	Plastic Bucket Medium	per piece	
12	Plastic Bucket Large	per piece	
13	Hand Brushes	per piece	
14	Carpet cleaning brush	per piece	

15	DDT Powder	Per packet	
16	Dust Bin plastic size D12" x H14"	per piece	
17	Floor Scrub Brush with handle 18"	per piece	
18	Floor Scrub Brush 18" without handle	per piece	
19	Micro fiber cloth	per piece	
20	Mop Cloth	per piece	
21	Microfiber mop with handle	per piece	
22	Neel Powder 100 gram	packet	
23	Plastic bags Transparent 20"*30"	per kg	
24	Plastic bags Blue with handles 35"*45"	per kg	
25	Plastic Trash Container, Upto 400 Liters with four wheels,	Per Piece	
26	Toilet paper white color quality material	per roll	
27	Towels small size 20"x30"	per piece	
28	Towels medium size 21"x 40"	per piece	
29	Towels large size 50"x28"	per piece	
30	Rubber long boots	Per Pair	
31	Wiper 22" UPVC	per piece	
32	Wiper 24" UPVC	per piece	
33	Wiper 26" UPVC	per piece	
34	Wiper for glass cleaning	Per Piece	
35	Wiper Sheet	per sq ft	
36	Washing Soda	50 kg bag	
37	Waste Bins , Capacity up to 100 liters, with cap & wheels, high quality plastic	per piece	
38	Waste Bins ,Capacity up to 200 with cap & wheels, high quality plastic	per piece	
39	Paddle Dustbins capacity up to 30 liters, high quality plastic	per piece	
40	Paddle Dustbins capacity up to 30 liters, Fiber glass	per piece	
41	Floor Mate plastic	per sq ft	
42	Floor mate	per sq ft	
43	Floor mate rubber	per sq ft	
44	Stainless steel cleaner 750 ml	per piece	
45	Floor Cleaner (Harpic, Dettol, Kleenex) 1 liter	per piece	
46	Dustpan with brush	per piece	
47	Pesticides (Aluminum Phosphide)	bottle	
48	Rubber long Gloves	Pair	

Note:

1. In case of discrepancy between unit price and total, the unit price shall prevail.
2. In case of different Unit of Measurement (UoM), submitted by the supplier in the price schedule, conversion method will be adopted to reach to the defined Unit of Measurement (UoM), as mentioned in the bidding documents.
3. The suppliers are required to complete the price schedule carefully and in case of any discrepancy or multiple prices, the bid shall be considered, only as specified in the bidding documents.
4. All prices must be included with all prevailing taxes.