



PARAPLEGIC CENTRE

Street No. 10, Sector P-1, Phase – IV, Hayatabad, Peshawar, KP
Phone No. 091-9217902, Ph/Fax: 091-9217901

Terms and Conditions for the tender 2025-26 of Stationary/ IT items/Printing

1. Each supplier has to provide Rs. 50,000/- call deposit (refundable) for Stationary, IT items and Printing in favour of “Paraplegic Centr
2. Income tax and sales tax registration must be provided.
3. Payment shall be made after satisfactory inspection of the supplied items.
4. If any supplier is engaged in any litigation with health department, its details must be provided.
5. The centre reserves the right to reject all the bids, as per section 47 of the KPPRA rules 2014.
6. Suppliers should clearly mention their office address and phone numbers on their letter heads.
7. Supply has to be made within 15 days of issuance of purchase order. In case of late supply, 2% late fee penalty will be charged for initi days and 5% after further delay.
8. The supply order will be canceled if the supplied items found to be substandard/ refurbished or is not according to the specification.
9. The provided IT items should be of up to dated & the latest versions/ firmware.
10. Market based realistic prices should be quoted in order to meet the quality of IT items.
11. The given rates should remain valid for one year i-e up to 30.06.2026.
12. The supply should be made to the stores of the Centre at its premises during official timing (08:00 AM to 04:00 PM)
13. Provisional tax exemption certificate will be attached at the time of submitting the invoice.
14. Taxes will be deducted according Government Laws.



PARAPLEGIC CENTRE

Street No. 10, Sector P-1, Phase – IV, Hayatabad, Peshawar, KP
Phone No. 091-9217902, Ph/Fax: 091-9217901

Printing Items for the Tender 2025-2026

| S/No | Item Name | Rate |
|------|---|------|
| 1 | Patient Follow up File (COVER, Art Card 300 gm, 04 color printing on front and back sides, 9.5x13 inch and 14 INNER PAGES, 01 color printing, 80 gram, A4 pages with staple). 500 files | |
| 2 | Patient Ortho History File (COVER, 04 color printing, size 12"x9.5", 300 gm Art Card, A4 size with 20 INNER PAGES, 80 gram, A4 size, with pocket and staple). 500 files | |
| 3 | Patient File (COVER, 04 color printing, 300 gram, Art Card and with 90-95 INNER PAGES, 01 color printing, 80 gram, A4 size). 500 files | |
| 4 | Patient Treatment Chart (COVER, 04 color printing, 250 gram Art Card, A4 size with 90-95 INNER PAGES, 01 color printing, 80 gram, A4 size, gum binding). 500 books | |
| 5 | Wheelchair Service (Basic) File (COVER, 04 color printing, 250 gm Art Card, A4 size, with 16-18 INNER PAGES, 01 color printing, 80 gram, A4 size with staple). 500 files | |
| 6 | Wheelchair Service (Intermediate) File (COVER, 04 color printing, 250gm Art Card, A4 size with 20-22 INNER PAGES, 01 color printing, 80 gram A4 size, with staple). 500 files | |
| 7 | Clubfoot Office File (COVER with pocket on right inner side, 1 inch depth, 300 gram, Art Card, 9.5x15 inch, 01 color printing). 500 Files | |
| 8 | Admin Office File (COVER with pocket on right inner side, 1 inch depth, 300 gram Art Card, 9.5x15 inch size, 04 color printing). 500 Files | |
| 9 | Issue & Demand Voucher Book (Duplicate, white and yellow CARBON PAPER, A4 size, 01 color printing). 20 pads/200 pages per book with duplicate copy | |
| 10 | Job Book (White and yellow CARBON PAPER, A4 size, 01 color Triplicate printing). 20 pads/200 pages per book with duplicate copy | |
| 11 | Demand Book (White and yellow CARBON PAPER, A4 size, 01 color Triplicate printing). 20 pads/200 pages per book with duplicate copy | |

| | | |
|----|--|--|
| 12 | OPD Book (01 color printing, Duplicate, white and yellow, CARBON PAPER, A4 size). 10 books/200 pages per book with duplicate copy | |
| 13 | Note Pad (68 gram PAPER, Fine page, 04 color printing, A4 half). 500 pads/100 pages per pad | |
| 14 | Drafting Pad (4 color printing, Art card 300, grams, size 7x5 inches, pages 100, with center log in all leaves. 70 gram paper with spiral binding) 100 Pads | |
| 15 | Letter Head (OFFSET PAPER, 100 gram, 04 color printing, A4 size). 20 pads/100 pages per book | |
| 16 | ACR Form (04 color printing, 17x12 inch, single fold, 120 gram, OFFSET PAPER, back to back printing). 500 forms | |
| 17 | Patient Name Tag (300 gram, Art Card, A4 size, 2 rings, 04 color printing). 500 cards | |
| 18 | Discharge Card (300 gram, Art Card, A4 size, 04 color printing). 500 cards | |
| 19 | Patient Clinical Consultation Card (Art Card, 300 gram, A4 size, 01 color printing on both sides). 500 cards | |
| 20 | Technical Cards (Art Card 300 gram, A4 size, 01 color printing on both sides). 1000 cards | |
| 21 | Appointment Card (ART CARD, 300 gram, A4 Half size, 01 color printing on both sides with center crease). 500 books | |
| 22 | Visiting Card (300 gram, 04 color printing, mat lamination with UV). 1000 cards | |
| 23 | Centre's Monogram (white Rexene with fabric base, 4 inch, 04 color). 1000 Pc | |
| 24 | Clubfoot Home Receipt Book (white and yellow carbon paper, 5.7 x 7.7 size, 04 color duplicate printing). 20 books | |
| 25 | Patient Record Envelope (300 gm white bleach card, 16.5x21.5 inch pocket size, 03 clr printing on one side). 500 Envelopes | |
| 26 | Certificates (300 gm art card, 11x8.5 inch, 04 clr print). 50 Certificates. | |
| 27 | Certificates (300 gm art card, 11x8.5 inch, 04 clr print). 100 Certificates | |
| 28 | One Page Leaflet (128 gm art paper, 3.68"x8" size, 04 color printing). 500 Brochures | |
| 29 | One Page Leaflet (128 gm art paper, 5.5"x8" size, 04 color printing). 500 Brochures | |
| 30 | Bi-Fold Brochures (128 gm art paper, 7"x8" size, 04 color printing). 500 Brochures | |
| 31 | Tri-Fold Brochures (128 gm art paper, 11"x8", 03 fold, 04 color printing). 500 Brochures | |
| 32 | Glass Shield with Wooden Base (PCP monogram print on 12mm glass, round shape, 6" dia affixed on 5"x2"x1" wooden Trapeze base with printing of names on Plastic strip) with velvet cloth box. | |
| 33 | Glass Shield box (good quality blue color velvet cloth box) as per shield size. | |
| 34 | Panaflex Per Feet (China media) | |
| 35 | Panaflex Per Feet (Star media) | |
| 36 | Patient Booklet , Title 300 art card, with Lamination, 115 gram art paper, 50 to 60 inside pages, 4 color printing and pin binding | |
| 37 | Pamphlet (128 gm art paper, 11"x8", 03 fold, 04 color printing). 500 Pamphlets | |
| 38 | Service Card PVC (300 micron thickness) | |
| 39 | Printing 1 Colour (A4 Page) (80 gram) 100-200 pages | |
| 40 | Printing 4 Colour (A4 Page) (80 gram) 100-200 pages | |
| 41 | Book "Haram maghaz ke choat k sath faal zindagi" (130-135 INNER PAGES, 75 gm offset paper, 7*9 size, 01 color printing and TITLE PAGE, 04 color printing, 300 gm art card, mat lamination UV, center pin). 500 books | |
| 42 | Book "Tootay paroon k sath Unchi Uraan" (135-140 INNER PAGES, 75 gm offset paper, 7*9 size, 01 color printing and TITLE PAGE 04 color printing, 40 ounce hard binding, mat lamination UV, center pin). 500 books | |
| 43 | Annual Report designing & printing (04 color printing, Nowise, 50-60 INNER PAGES, 128 gm Mat Paper, A4 size, with 04 color printing of TITLE on 310gm, A4size, Mat Lamination, Center pin) 100 books | |
| 44 | Annual Report designing & printing (04 color printing, Nowise, 60-70 INNER PAGES, 128 gm Mat Paper, A4 size, with 04 color printing of TITLE on 310gm, A4size, Mat Lamination, Center pin) 100 books | |

List of Stationary Items for the Tender 2025-2026

| S/No | Item Name | Unit/Size | Rate |
|------|---|----------------|------|
| 1 | Binder Clip 25mm | Dozen | |
| 2 | Binder Clip 32mm | Dozen | |
| 3 | Binder Clip 51mm | Dozen | |
| 4 | Ball point 0.8mm | 10 pieces pack | |
| 5 | Blanco | piece | |
| 6 | Box files blue color imported | piece | |
| 7 | Branded desktop Calculator 14 digits large display (deli, casio, citizen) | piece | |
| 8 | Cash Book Size 2 | piece | |
| 9 | Cash Book Size 3 | piece | |
| 10 | Cash Book Size 4 | piece | |
| 11 | Cash Book Size 5 | piece | |
| 12 | Centre's Logo Flag 24"x10" | piece | |
| 13 | Colour Chart (Hard) | piece | |
| 14 | Colour Chart (Soft) | piece | |
| 15 | Colour Push Pins | 100 Pcs pack | |
| 16 | Computer Paper (A-4 Size) 70 GSM | piece | |
| 17 | Computer Paper (A-4 Size) 80 GSM | piece | |
| 18 | Computer Paper (Legal Size) 80 GSM | piece | |
| 19 | Double sided Adhesive foam tape 1" | 5 yards roll | |
| 20 | Double sided Adhesive foam tape 2" | 5 yards roll | |

| | | | |
|----|--|-----------------|--|
| 21 | Double sided Adhesive Tissue tape 1" | 10 yards roll | |
| 22 | Double sided Adhesive Tissue tape 2" | 10 yards roll | |
| 23 | Diary 4" x 6" size | piece | |
| 24 | Envelope A4, 70 gram , brown color | 100 pieces pack | |
| 25 | Eraser | piece | |
| 26 | File covers without clip | piece | |
| 27 | File L-shape A4 size | 12 piece pack | |
| 28 | Fixed Asset Register No 1 | piece | |
| 29 | Fixed Asset Register No 5 | piece | |
| 30 | Fomic Sheet (plain) | piece | |
| 31 | Fomic Sheet (Glitterish) | piece | |
| 32 | Gel Ball point 0.5 (Deli, Sensa Doller,) | 10 pieces pack | |
| 33 | Gel Ball point 0.7 (Deli,Sensa, Doller,) | 10 pieces pack | |
| 34 | Glue gun sticks | 10 pieces pack | |
| 35 | Gum Stick 20 gram | piece | |
| 36 | Hand held paper cutter | piece | |
| 37 | Heavy Duty Punch Machine (kw-trio, sensa,deli) | piece | |
| 38 | Punch Machine (kw-trio, sensa,deli) | piece | |
| 39 | High lighter | 12 piece pack | |
| 40 | Ledger Size 5 | piece | |
| 41 | Ledger Size 6 | piece | |
| 42 | Ledger Size 7 | piece | |
| 43 | Ledger Size 8 | piece | |
| 44 | Letter Opener | piece | |
| 45 | Log Book (95 pages) | piece | |
| 46 | Marker Permanent | 12 piece pack | |
| 47 | Marker White Board | 12 piece pack | |
| 48 | Notice board (3'x2) | piece | |
| 49 | Notice board (4'x3') | piece | |
| 50 | One hybrid C 0.5mm ball point | 10 pieces pack | |
| 51 | Pakistani Flag 28"x20" | piece | |
| 52 | Pencil | 12 pices pack | |
| 53 | Pen holder | piece | |
| 54 | Plastic Tape (Brown) 2" | roll | |
| 55 | Plastic Tape (Transparent) 2" | roll | |
| 56 | Protector sheet A4 size | 100 sheet pack | |
| 57 | Register (Size 40) | piece | |
| 58 | Register (Size 90) | piece | |
| 59 | Ring file | piece | |
| 60 | Separators (Hard) | 10 sheets pack | |
| 61 | Separators (Soft) | 10 sheets pack | |
| 62 | Sharpener | piece | |
| 63 | Stamp pad | piece | |
| 64 | Staple pin 23/17 (doller, deli, sensa) | pack | |
| 65 | Staple pin 24/6 (doller, deli, sensa) | pack | |
| 66 | Staple pin remover | piece | |
| 67 | Stapler 24/6 (deli, bahadur, sensa) | piece | |
| 68 | Stapler 23/17 (deli, bahadur, sensa) | piece | |
| 69 | Steel ruler | piece | |
| 70 | Sticky note 2"x2" | 100 sheets pack | |
| 71 | Sticky note 3"x3" | 100 sheets pack | |
| 72 | Sticky note 4"x3" | 100 sheets pack | |
| 73 | Sticky note 5"x3" | 100 sheets pack | |
| 74 | Sticky note 0.6"x2" | 100 sheets pack | |
| 75 | Stock registers Size 10 | piece | |
| 76 | Stock registers Size 12 | piece | |
| 77 | Stock registers Size 2 | piece | |
| 78 | Stock registers Size 4 | piece | |
| 79 | Stock registers Size 5 | piece | |
| 80 | Stock registers Size 8 | piece | |
| 81 | Visiting card album | piece | |
| 82 | White board (3'x2) | piece | |
| 83 | White board (4'x3') | piece | |
| 84 | Wrapping transparent rolls 18"*100 yard | roll | |



PARAPLEGIC CENTRE

Street No. 10, Sector P-1, Phase – IV, Hayatabad, Peshawar, KP
Phone No. 091-9217902, Ph/Fax: 091-9217901

Tender List of IT Items for the Year 2025-2026

| S.No | Item Names | Rate |
|--------------------------|--|------|
| PRINTERS-SCANNERS | | |
| 1 | Laser Printer (Black)-Print Only- Print Technology : Laser - USB/Ethernet/Wifi - Paper size: A4 / A5 / B5 / Legal / Letter / Envelope - Print speed -letter : 40 ppm (black) - Print quality : Up to 600 x 600 x 2 dpi (1200 dpi effective output) - Monthly Duty cycle : Up to 80,000 pages Recommended Duty Cycle : 750-4000 - Connectivity standard : 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio - Paper handling input: 100-sheet multipurpose Tray 1, 250-sheet input Tray 2 | |
| 2 | LASER JET (ALL in ONE) Printer FUNCTIONS - Print, copy, scan MULTITASKING SUPPORTED Print Speed : Up to 30 ppm Monthly duty Cycle : Up to 20,000 pages Number of Print Cartridges : 1 (black) Replacement Cartridges : HP 134A Black LaserJet Toner Cartridge, W1340A (~1100), HP 134X Black LaserJet Toner Cartridge, W1340X (~2400) Mobile Printing Capability : Apple AirPrint™; HP Smart App; Mopria™ Certified; Wi-Fi® Direct Printing Connectivity Standards : 1 Hi-Speed USB 2.0; 1 Fast Ethernet 10/100Base-TX; 1 Dual-band (2.4/5.0GHz) Wireless 802.11b/g/n with Bluetooth® low energy. Paper handling input, standard : 150-sheet input tray Paper handling output, standard: 100-sheet output tray Duplex printing : Auto-duplex Envelope input capacity: Up to 10 envelopes Warranty : One-year limited warranty | |
| 3 | Colour Printer : Print - Printer Technology : Print Method: On-demand inkjet (Piezoelectric) Print Resolution Up to 5760 X 1440 dpi -Print Speed: Photo Default - 10 x 15 cm / 4 x 6 ": Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm *1 ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm *1 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *1 -Paper Handling : Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6 Consumables: Black Ink Bottle: 4,500 pages *4 - 003 Cyan Ink Bottle: 7,500 (Composite Yield) *4 - 003 Magenta Ink Bottle: 7,500 (Composite Yield) *4 - 003 Yellow Ink Bottle: 7,500 (Composite Yield) *4 - 003 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm *1 Interface : USB 2.0 Printer Software: Operating System Compatibility: Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 | |

| | | |
|------------------------------|--|--|
| 4 | Scanner - Flatbed - A4 paper size - 2400 x 4800 dpi, 48 bit - Speed 10 x 15 cm (4 x 6 in) Color Photo to File (200 dpi, 24-bit, TIFF) - USB connectivity | |
| 5 | Scanner - Flatbed, ADF - Legal , A4 paper size - Duplex scanning (both side scanning) - Automatic document feeder capacity Standard, 50 sheets - speed : Up to 20 ppm/40 ipm - Up to 600 dpi (colour and monochrome, ADF); - Up to 1200 dpi (colour and monochrome, flatbed), - Bit depth 24-bits external 48-bits internal - USB Connectivity | |
| Multimedia Projectors | | |
| 6 | Item Specification : Multimedia Projector Display Technology DLP or LCD Brightness Minimum 4000 ANSI Lumens (suitable for well-lit rooms) Resolution Native XGA (1024×768) or WXGA (1280×800); preferred: Full HD (1920×1080) Contrast Ratio Minimum 20,000:1 or better Projection Size Minimum: 30 inches to 300 inches diagonal Throw Ratio Standard throw (1.5 to 1.9:1); Short throw optional Aspect Ratio 4:3 (XGA) or 16:9 (WXGA/FHD); auto aspect support Lamp Life Minimum 10,000 hours in Eco Mode Input Ports At least 1 × HDMI, 1 × VGA, 1 × USB Type-A (for media playback), Audio In Output Ports Audio Out (3.5mm), VGA Out (optional) , 1x DP Built-in Speaker Yes, minimum 2W speaker Wireless Connectivity Optional: Wi-Fi or Miracast support (via USB dongle or built-in) Remote Control Included with batteries Mounting Ceiling mountable; mounting kit optional Power Supply 220V AC, 50Hz standard Accessories Power Cable, VGA/HDMI Cable, Remote, User Manual Warranty Minimum 1-year service & parts warranty (lamp warranty optional) | |
| 7 | Portable Multimedia Projector (Rechargeable) Brightness: 250 Lumens Light Source: LED Battery Life : 6 Hours | |
| 8 | Canon M50 Mark II - DSLR Camera Canon M50 Mark II Canon 18-135MM Lens Viltrox Mount Adapter for Canon Lenses DJI Ronin SC Gimbal Stabilizer SanDisk 256GB Card Canon M50 Backup Batteries with Charger Tripod Camera Bag Video Light with Stand | |
| 9 | Nikon Battery Charger MH-25a- 8.4Volt--1.2A | |
| 10 | Nikon Rechargeable Lithium Battery 7.0V -- 1.9Ah 14Wh | |
| 11 | Canon EF-S 10-18mm F/4.5-5.6 IS STM Lens | |

| | | |
|------------------------|---|--|
| 12 | General Specifications for Professional Walkie-Talkie (Two-Way Radio) Component Specification Frequency Range UHF: 400–470 MHz and/or VHF: 136–174 MHz (dual-band optional) Channels Minimum 16 channels (programmable) Output Power 4–5 Watts (UHF) / 5–7 Watts (VHF) Range Minimum 3–5 km in open areas (terrain-dependent) Battery Rechargeable Li-Ion battery, ≥ 1500 mAh (preferably 1800–2200 mAh) Standby Time ≥ 24 hours; Talk time: ≥ 8–10 hours (typical usage) Charging AC adapter-based charger or dock station (220V input) Antenna Detachable high-gain antenna (SMA or similar) Construction Ruggedized casing, water/dust resistant (preferably IP54 or higher) Audio Accessories Compatible with earphone/mic (1 included per unit); VOX-enabled Display Optional: LCD Display with channel indicator (non-screen version also acceptable) Functions Channel scan, low battery alert, emergency alarm, keypad lock, CTCSS/DCS code support Programming Interface Programmable via PC software or keypad (cable/software included if required) Range of Operation Temperature: -10°C to +55°C; Humidity: up to 95% Accessories Each unit should include: Battery, Charger, Antenna, Belt Clip, Hand Strap, User Manual Warranty Minimum 1-year service and parts warranty | |
| 13 | General Specifications – Fixed Band Walkie-Talkie (License-Free) Item Specification Type Fixed frequency, license-free Walkie-Talkie Frequency Band UHF 400–470 MHz (or pre-configured to license-free frequencies like 446 MHz / 462 MHz depending on region) Output Power ≤ 2 Watts (compliant with license-free usage regulations) Channels Fixed channels (8, 16 or 22 pre-programmed channels depending on region) Range 1–3 km in open area (urban range may vary based on interference) Battery 1500–1800 mAh Li-Ion rechargeable battery Charging Charging dock or USB charger (AC input: 220V/50Hz) Antenna Fixed or detachable (based on model); non-programmable Audio Support VOX (Voice Operated Transmission), built-in speaker and mic, earpiece support Construction Compact, lightweight, shock-resistant plastic body Indicators LED or screen indicators for channel, battery, and transmission Features Channel scan, busy channel lock, battery low alert, keypad lock Accessories Antenna (if detachable), Charging Dock, Battery, Belt Clip, Earphone, User Manual Warranty Minimum 1-year parts and service warranty | |
| 14 | DRONE SPECS Up to 6.2-Mile Range with Ocu Sync • Withstands 19 to 24 mph Winds 8 oz Lightweight & Foldable Design • 3-Axis Gimbal with 2.7K30 Video • Capture 12MP Stills in JPG & Raw • Up to 31 Minutes of Flight Time • Up to 36 mph Flight Speed • Intelligent Flight & Panorama Modes • Automatic Takeoff/Hover & Return to Home In The Box • DJI Mini 2 Fly More Combo RC-N1 or RC Remote Controller (Optional) • 3 x Intelligent Flight Battery 3 x Pairs of Extra Propellers • USB Type-C Cable Gimbal Protector • Micro-USB RC Cable USB Type-C RC Cable • Lightning RC Cable Pair of Extra Control Sticks • 18 x Spare Screw Screwdriver • Propeller Holder Two-Way Charging Hub • 18W USB Charger Shoulder Bag • Limited 1-Year Warranty (Excluding Propellers) | |
| PRINTERS TONERS | | |
| 15 | Toner for Canon L11121E | |
| 16 | Print Cartridge 12A | |
| 17 | Printer Cartridge 32A | |
| 18 | Print Cartridge 53A | |
| 19 | Print Cartridge 83A | |
| 20 | Print Cartridge 05A/80A | |
| 21 | Print Cartridge 85A | |
| 22 | Print Cartridge CF280A | |
| 23 | Print Cartridge 79A | |
| 24 | Print Cartridge-HP LaserJet Pro M118dw | |
| 25 | Printer drum for HP Laserjet pro M118dW | |
| 26 | Print Cartridge (for Laser 2055D) | |
| 27 | Toner Refilling for Laser Printer (black) | |
| 28 | Toner Refilling for Toshiba Studio 232 ,photostate machine (Black) | |
| 29 | Canon Ink Cartridge For Pixa 2410-4 Colours | |
| 30 | Print Cartridge for Canon 103/303/703 | |
| 31 | Print Cartridge for Pantum P2500W-PC210E | |
| 32 | Print Cartridge for Pantum P6600NW-PC210E | |
| 33 | ReFiling of Pentum P2500W & P6600NW Printers | |
| 34 | Print Cartridge Printer -HL-L5200DW | |
| 35 | Print Cartridge Printer DCP-L2540DW-Brother Printer | |
| 36 | Photo copier Kyocera Taskalfa 4012i Toner | |
| 37 | Printer Cartridge- HP Laser Jet Pro MFP 3103FDW- 145/W1450A | |
| 38 | HP 151A Black Original LaserJet Toner Cartridge W1510A | |

| ORIGINAL SOFTWARES | | |
|--|--|--|
| 39 | Internet Security (4 devices 1 Year)(<i>KasperSky</i> , Bit-Defender,Norton) | |
| 40 | Internet Total Security (4 devices 1 Year)(<i>KasperSky</i> , Bit-Defender,Norton) | |
| 41 | Internet Security (10 devices 1 Year)(<i>KasperSky</i> , Bit-Defender,Norton) | |
| 42 | Microsoft Windows 10 Pro 32/64bit (Original)- Single User | |
| 43 | Microsoft Windows 10 Pro 32/64bit (Original)-OLP Five(5) Users | |
| 44 | Microsoft Office Professional 2016 (Original)-OLP Single User | |
| 45 | Internet Downloa d Manager (IDM) 2020-Life Time activation Key | |
| 46 | Microsoft Office Professional 2019 (Original)- OLP Single User | |
| 47 | Microsoft Office Professional 2019 (Original)- OLP Five(5) User | |
| Network ROUTERS GIGSWITCHES POE SWITCHES | | |
| 48 | Gigabit Router : -Dual WAN Port -Gig LAN Ports -Load Balancing -Auto Failover | |
| 49 | L2 Managed Switch : 8× 10/100/1000 Mbps RJ45 Ports 1× RJ45 Console Port Rack Mountable / Desktop WEB/CLI managed modes, SNMP, RMON bring abundant management features | |
| 50 | 16-Port Gigabit Rackmount Switch 16 10/100/1000Mbps RJ45 ports Innovative energy-efficient technology saves power consumption Supports MAC address self-learning and auto MDI/MDIX Standard 19-inch rack-mountable steel case | |
| 51 | 5-Port Gigabit Easy Smart Switch 5× 10/100/1000 Mbps ports Plug and Play Web/Utility Management Durable Metal/Plastic Casing | |
| 52 | 8-Port Gigabit Easy Smart Switch 8× 10/100/1000 Mbps ports Plug and Play Web/Utility Management Durable Metal/Plastic Casing | |
| 53 | 16-Port Gigabit Easy Smart PoE Switch with 8-Port PoE+ 8× Gigabit PoE+ Ports Rack-mountable Steel Case 802.3at/af Web/Utility Management | |
| POE Network Switches - 100/1000 Mbps | | |
| 54 | -8 Ports POE Switch + -2 Uplink Gigabit Ethernet Ports | |
| 55 | -6 Port PoE Switch+ -2 Ports Uplink | |
| 56 | -4 Ports PoE Switch + - 2 Ports Uplink | |
| WiFi Routers- AP's & Range Extenders | | |
| 57 | AX1500 Wi-Fi 6 Router Wi-Fi 6 IEEE 802.11ax/ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz AX1500 5 GHz: 1201 Mbps (802.11ax) 2.4 GHz: 300 Mbps (802.11n) Working Modes Router Mode Access Point Mode Power 12 V – 1 A | |
| 58 | 300Mbps Wireless N Router. Standards : Wi-Fi 5 IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz Working Modes: Router Mode Access Point Mode Range Extender Mode WTSP Mode WiFi Speed : AC1200 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 300 Mbps (802.11n) | |
| 59 | AC1750 Wireless Dual Band Gigabit Router (V5.0) -Standard : WiFi6 -Working Mode : Router Mode & AP Mode -1× USB 2.0 Port -WiFi Capacity : Dual Band -Standards Wi-Fi 5 IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz -WiFi Speeds AC1750 5 GHz: 1300 Mbps (802.11ac) 2.4 GHz: 450 Mbps (802.11n) -HARDWARE Processor Qualcomm CPU Ethernet Ports 1× Gigabit WAN Port 4× Gigabit LAN Ports USB Support 1× USB 2.0 Port | |

| | | |
|----|---|--|
| 60 | AC1200 Wireless MU-MIMO Gigabit Router <i>-standard : Wi-Fi 5 IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz -WiFi Speed : AC1200 5 GHz: 867 Mbps (802.11ac) 2.4 GHz: 300 Mbps (802.11n) Processor Qualcomm CPU Ethernet Ports 1× Gigabit WAN Port 4× Gigabit LAN Ports -Simultaneous 2.4GHz 300 Mbps and 5GHz 867 Mbps connections for 1200 Mbps of total available bandwidth -4 external antennas and one internal antenna provide stable wireless connections and optimal coverage -MU-MIMO achieves 2X efficiency by communicating with up to 2 devices at once -Beamforming technology delivers wider wireless coverage -Supports Access Point mode to create a new Wi-Fi access point</i> | |
| 61 | AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point <i>-Durable, weatherproof enclosure for outdoor Wi-Fi applications -Up to 1200Mbps with 2×2 MIMO technology -Omada Mesh Technology enables wireless connectivity between APs for extended range, making wireless deployments more flexible and convenient -Supports Seamless Roaming so even video streams and voice calls are unaffected as users move between locations -High transmission power and high gain antennas provide a long-range coverage area -Cloud centralized management and Omada app for ultra convenience and easy management -Secure guest network along with multiple authentication options (SMS/Facebook Wi-Fi/ Voucher, etc.) and -abundant wireless security technologies -802.3af/Passive PoE (PoE Adapter Included) compatible and simple mounting design allow for flexible deployment and convenient installation</i> | |
| 62 | AC1750 Wi-Fi Range Extender. Standards and Protocols IEEE802.11ac, IEEE 802.11n, IEEE 802.11g, IEEE 802.11b Interface 1 x 10/100/1000M Ethernet Port (RJ45) Button WPS Button, Reset Button, LED Button, Power Button WIRELESS FEATURES Frequency 2.4GHz & 5GHz(11ac) Signal Rate 5GHz: Up to 1300Mbps 2.4GHz: Up to 450Mbps | |
| 63 | 300Mbps High Gain Wireless USB Adapter | |
| 64 | AC1900/1750/1300/1200/750 High Gain Wireless Dual Band USB Adapter <i>Wi-Fi standards : 802.11ac/ a/b/g/n -Dual Band Wireless– 2.4GHz and 5GHz band for flexible connectivity -Ultimate Range – High gain antennas ensure superior range and stability -Super Speed USB 3.0 Port - Up to 10x faster than USB 2.0</i> | |
| 65 | AC1900 Wireless MU-MIMO Wi-Fi Router : 802.11ac Wave2 Wi-Fi – 1300 Mbps on the 5 GHz band and 600 Mbps on the 2.4 GHz band. 3×3 MIMO Technology – Transmitting and receiving data on three streams to pair flawlessly with your 3×3 clients. Boosted Wi-Fi Coverage – Beamforming technology delivers a highly efficient wireless connection. MU-MIMO – To help your devices achieve optimal performance by making communication more efficient. Personalized Management – Advanced features like Parental Controls, Guest Network, and Access Control provide individualized tools for network management. Intelligent Connection – Smart Connect directs clients to the less congested band and Airtime Fairness optimizes the time usage. | |

Server || Network|| Telecom Racks

| | | |
|----|--|--|
| 66 | 2U Wall Mounted Rack-Imported Branded-Black | |
| 67 | 4U Wall-Mount Network Cabinet Enclosure, 600mm Depth, Hinged Back, Swing Gate Server Cabinet, Locks, Pre-Assembled, Reversible Glass Front Door, 1 x L Brackets , Fans, Cable Management | |
| 68 | 6U Wall-Mount Network Cabinet Enclosure, 600mm Depth, Hinged Back, Swing Gate Server Cabinet, Locks, Pre-Assembled, Reversible Glass Front Door, 1 x L Brackets , Fans, Cable Management | |
| 69 | 4U Wall Mount Data Rack Cabinet- 2 Shelves Imported Branded- Black | |
| 70 | Cable Manager for Network Rack | |
| 71 | M6 Cage Nuts Bolts & Washers For 19" Rack SERVER Mount Data Cabinets | |

UPS & BATTERIES

| | | |
|----|--|--|
| 72 | UPS- 3 KVA / 2100 W - Pre Sine Wave - 24 volt | |
| 73 | UPS- 5 KVA /4000 W - Pure SineWave - 24 Volt | |
| 74 | Portable UPS with Internal Batteries 1000VA/1000 Watts | |
| 75 | Portable UPS with Internal Batteries 1500VA/1500 Watts | |
| 76 | 200 Ah Low Maintenance Deep Cycle (For UPS/Solar) | |
| 77 | 145 Ah Low Maintenance Deep Cycle (For UPS/Solar) | |
| 78 | 100 Ah Low Maintenance Deep Cycle (For UPS/Solar) | |
| 79 | Telecom PDU with Surge protector | |
| 80 | Telecom PDU without Surge protector | |
| 81 | Crimping tool (For RJ 45 & RJ 11) Cables | |
| 82 | EZ-RJ45TOOL PROFESSIONAL CRIMP TOOL FOR RJ45 PASS-THROUGH CONNECTORS | |
| 83 | Network Cable Tester-Branded | |
| 84 | Digital Multimeter-Branded | |

CCTV

| | | |
|-----|--|--|
| 85 | IP Camera Samrt H.265 (5MP, HD Image Sensor,Smart IP)-(Dahua, Hikvision, Honey Well)-Bullet | |
| 86 | IP Camera Samrt H.265 (5MP, HD Image Sensor,Smart IP)-(Dahua, Hikvision, Honey Well)-Dome | |
| 87 | IP Camera Samrt H.265 (8MP, HD Image Sensor,Smart IP)-(Dahua, Hikvision, Honey Well)-Bullet | |
| 88 | IP Camera Samrt H.265 (8MP, HD Image Sensor,Smart IP)-(Dahua, Hikvision, Honey Well)-Dome | |
| 89 | Analogue Camera-Bullet (4MP , HD Image Sensor) (Dahua, Hikvision, Honey Well) | |
| 90 | Analogue Camera-Dome (4MP , HD Image Sensor) (Dahua, Hikvision, Honey Well) | |
| 91 | Analogue Camera-Bullet (5MP , HD Image Sensor) (Dahua, Hikvision, Honey Well) | |
| 92 | Analogue Camera-Dome (5MP , HD Image Sensor) (Dahua, Hikvision, Honey Well) | |
| 93 | HD-CVI DVR -with 8 Channels (Dahua, HKVision, Honey well) | |
| 94 | HD-CVI DVR -with 16 Channels (Dahua, HKVision, Honey well) | |
| 95 | HD-CVI DVR -with 32 Channels (Dahua, HKVision, Honey well) | |
| 96 | DVR with 8 Channels (Dahua, HKVision, Honey well) | |
| 97 | DVR with 16 Channels (Dahua, HKVision, Honey well) | |
| 98 | DVR with 32 Channels (Dahua, HKVision, Honey well) | |
| 99 | DVR with 64 Channels (Dahua, HKVision, Honey well) | |
| 100 | NVR with 8 Channels (Dahua, HKVision, Honey well) | |
| 101 | NVR with 16 Channels (Dahua, HKVision, Honey well) | |
| 102 | NVR with 32 Channels (Dahua, HKVision, Honey well) | |
| 103 | NVR with 64 Channels (Dahua, HKVision, Honey well) | |

Computer & Network ACCESSORIES

| | | |
|-----|---|--|
| 104 | Wireless Keyboard+Mouse (Combo)-Branded | |
| 105 | HD Webcam 1080p - Branded (Logitech, A4tech,Danny) | |
| 106 | USB Keyboard (Wired)-Branded | |
| 107 | USB Keyboard (Wireless)-Branded | |
| 108 | Key Board for Laptop- without back Lit | |
| 109 | Key Board for Laptop- Back Lit | |
| 110 | USB Optical Mouse (wired)-Branded | |
| 111 | USB optical Mouse (Wireless)-Branded | |
| 112 | DVD Writer (External) - Branded | |
| 113 | RJ45 CAT6 Pass Through Connectors 100 Pack - Easy and Fast Termination - Gold Plated 3 Prong 8P8C Modular Ethernet UTP Network Cable Plug End for Cat6 Cat5e - Branded (Amp, Tyco, 3M) | |
| 114 | RJ45 CAT6 connectors 100 Pack - Easy and Fast Termination - Gold Plated 3 Prong 8P8C Modular Ethernet UTP Network Cable Plug End for Cat6 Cat5e - Branded (Amp, Tyco, 3M) | |

| | | |
|-----|--|--|
| 115 | <p>Item: RJ45 Connectors for 23/24 AWG Shielded Twisted Pair (STP/UTP) Cables</p> <p>Compatibility:</p> <ul style="list-style-type: none"> • Compatible with CAT 6A, CAT 7, and CAT 8 cables • Designed for 23 AWG to 24 AWG solid or stranded conductors <p>Type:</p> <ul style="list-style-type: none"> • Shielded (FTP/SFTP) and Unshielded (UTP) types (specify as required) • Tool-less or crimp-type (specify depending on installation practice) <p>Construction:</p> <ul style="list-style-type: none"> • Body Material: High-impact, flame-retardant polycarbonate (UL94V-0) • Shielding: Full metal shield (for shielded connectors) to minimize EMI/RFI • Contact Blades: Phosphor bronze with 50-micron gold plating (on contact area) <p>Performance:</p> <ul style="list-style-type: none"> • Supports 10 Gbps transmission (CAT 6A & CAT 7) • Suitable for frequencies up to 600–2000 MHz (based on category) <p>Termination:</p> <ul style="list-style-type: none"> • Easy-to-use 3-prong or 2-prong contact design for secure wire grip <p>Packaging:</p> <ul style="list-style-type: none"> • Quantity: Packs of 10 / 50 / 100 pieces (as per requirement) | |
| 116 | Telephone Connector Box(RJ-11 4Pins) | |
| 117 | Minicom Tx5e & Tx6 plus UTP Jack Module | |
| 118 | CAT6 Patch Panel 12 Ports Network Rack Mount with Bracket | |
| 119 | Network Face Plate RJ 45 - Cat 5e , 6. | |
| 120 | CAT 6 Connector I/O Modular Jack -RJ45 | |
| 121 | RJ11 Connector I/O Modular Jack | |
| 122 | Power Supply for DVR 15 AMP | |
| 123 | Power Supply for DVR 20 AMP | |
| 124 | PVC BOX Waterproof for Telecom 12 inch X 12 inch in Pakistan | |
| 125 | PVC BOX Waterproof for Telecom 8 inch X 8 inch in Pakistan | |
| 126 | Nynlon Cable Ties -80mm X 2.5mm (Imported -Black) Best Quality- 1 Packet (100 Ties) | |
| 127 | Nynlon Cable Ties - 100mm X 2.5mm (Imported -Black) Best Quality- 1 Packet (100 Ties) | |
| 128 | Nynlon Cable Ties - 140mm X 3.6mm (Imported -Black) Best Quality- 1 Packet (100 Ties) | |
| 129 | Nynlon Cable Ties - 200 mm X 4.8mm (Imported -Black) Best Quality- 1 Packet (100 Ties) | |
| 130 | Nynlon Cable Ties - 300 mm X 4.8 mm (Imported -Black) Best Quality- 1 Packet (100 Ties) | |
| 131 | 12.7 MM HDD DVD ROM Caddy | |
| 132 | 9.5 MM HDD DVD ROM Caddy | |
| 133 | Power Adapter- 12V--1 AMP | |
| 134 | Power Adapter- 12V--1.5 AMP | |
| 135 | Power Adapter- 12V--2 AMP | |
| 136 | Power Adapter- 12V--2.5 AMP | |
| 137 | Power Adapter- 12V--3 AMP | |
| 138 | Power Adapter- 12V--5 AMP | |
| 139 | Batttery Cell for BIOS- New | |
| 140 | Professional Presenter for Projector | |
| 141 | Screw Driver Set For Computer Hardware - Imported | |
| 142 | Charger (adopter+Power Cable) HP Probok 440-G7 - 19.5V ---2.31A-45.0W - Original | |
| 143 | Charger (adopter+power cable) Laptop HP Pavilion G6 Notebook PC | |
| 144 | Charger (adopter+power cable) Laptop HP Notebook (core i7-7th gen) | |
| 145 | Charger (adopter+power cable) Laptop Lenovo Ideapad 310 (core-i7-7th gen) | |
| 146 | charger (adopter+power cable) Laptop HP Probok 450 G3 | |
| 147 | charger (adopter+power cable) Laptop HP Probok 250 G9 - 45W- 19.5VDC --2.31Amp | |
| 148 | charger (adopter+power cable) Laptop HP Spectra 360 - 90W-19.5 VDC-4.62Amp | |
| 149 | charger (adopter+power cable) Laptop Dell Vostro-65W- 19.5VDC--4.62Amp | |
| 150 | Battery for Laptop HP Pavilion G6 Notebook PC (original) | |
| 151 | Battery for Laptop HP Notebook (core i7-7th gen) (original) | |
| 152 | Battery for Laptop HP Notebook (core i7-8565u) (original) | |
| 153 | Battery for Laptop HP Pavilion (core i7-8550u) (original) | |
| 154 | Battery for Laptop HP Probok 450 G3 (original) | |
| 155 | Battery for Laptop HP Probok 450 G5 (original) | |
| 156 | Battery for Laptop Lenovo Ideapad 310 (core-i7-7th gen) (original) | |
| 157 | Battery for Laptop HP 250 G9 (core-i7-12th gen) (original) | |
| 158 | Battery for Laptop Dell Vostro (core-i7-12th gen) (original) | |
| 159 | Battery for Laptop HP Spectra 360 (core-i7-12th gen) (original) | |
| 160 | Paper Shredder-Good Quality Branded | |
| 161 | Portable/Cordless Drill Machine- 800W or above Chargeable - Branded | |
| 162 | Electric Blower - 600W or Above- Branded Best Quality | |
| 163 | AA-Rechargeable Battery Cell (1.2V-- ~2500mAh)- Pack of 4 (DuraCell, Energizer, Camelon) | |
| 164 | AAA-Rechargeable Battery Cell (1.2V -- ~ 2500mAh)- Pack of 4 (DuraCell, Energizer, Camelon) | |
| 165 | Rechargeable Gallon Battery Cell (9 Volts)- 1 Piece (DuraCell, Energizer, Camelon) | |
| 166 | Battery Charger (AA, AAA, 9Volt Gallon Battery) (DuraCell, Energizer, Camelon)(For 4 Batteries Charge) | |
| 167 | Canon Battery Pack LP-E8 7.2V - - - 1120mAh-- 8.1Wh (Li-ion) | |
| 168 | Canon Battery Charger - LC 8EC- (Input AC : 100-240V- 0.25 A)- (OutPut : DC 8.4V ----0.72A) | |
| 169 | Nikon Charger MH-25 Use For Nikon, D850, D810, D800, D750, D7500, D7200, D7100, D7000. | |
| 170 | Tripod Stand for Mobile (Mobile Shooting) | |
| 171 | Tripod Stand for DSLR Camera | |
| 172 | DSLR Camera Professional Bag | |
| 173 | Video Light with Stand | |
| 174 | Canon M50 Backup batteries with Charger | |
| 175 | M.2 SATA NVME SSD to USB 3.0 External SSD Enclosure with UASP NGFF Support M2 SSD Case | |
| 176 | USB 3.0 2.5" Enclosure for SATA SSD & HDD Case | |
| 177 | Micro Al Kaline Cells - AG 10/LR44 (1 Bristle-10 Cells) | |
| 178 | Multi Purpose Self Adhesive Cable Management Clips | |

STORAGE

| | | |
|-----|---|--|
| 179 | Hard Disk Drive (SATA- 6Gbps 10,000RPM) for desktop-2TB | |
| 180 | Solid State Hybrid Disk Drive (SHDD) (64 MB Cache SATA- 6Gbps 72,00RPM) for desktop-2TB | |
| 181 | Hard Disk Drive (SATA- 6Gbps 72,00 RPM Cache : 128MB) for desktop-1TB | |
| 182 | Hard Disk Drive (SATA- 6Gbps 72,00 RPM Cache : 128MB) for desktop-2TB | |
| 183 | Hard Disk Drive (SATA- 6Gbps 72,00 RPM Cache : 128MB) for desktop-4TB | |
| 184 | Hard Disk Drive (SATA- 6Gbps 72,00 RPM Cache : 128MB) for desktop-8TB | |
| 185 | NAS Drive-600GBs 3.5" 15K RPM , 6 Gbps SAS Hot Plug | |
| 186 | Hard Disk Drive (SATA) for surveillance CCTV-12TB - Best Quality Branded | |
| 187 | Hard Disk Drive (SATA) for surveillance CCTV-8TB - Best Quality Branded | |
| 189 | Hard Disk Drive (SATA) for surveillance CCTV-4TB - Best Quality | |
| 190 | Hard Drive Disk 2.5" (SATA) for Laptop-1TB | |
| 191 | Hard drive External 2TB 3.0 Shockproof | |
| 192 | Hard drive External 4TB 3.0 Shockproof | |
| 193 | PC SSD - SATA III 6 Gb/s, 2.5"/7mm- 120/128 GB-Branded New | |
| 194 | PC SSD - SATA III 6 Gb/s, 2.5"/7mm- 250/256 GB - Branded New | |
| 195 | PC SSD - SATA III 6 Gb/s, 2.5"/7mm- 512 GB - Branded New | |
| 196 | Solid State Drive (SSD)-NAND NVMe PCIe M.2 120GB/128 GB - New Branded | |
| 197 | Solid State Drive (SSD)-NAND NVMe PCIe M.2 250GB/256 GB - Branded New | |
| 198 | Solid State Drive (SSD)-NAND NVMe PCIe M.2 512GB/512GB - Branded New | |
| 199 | Solid State Drive (SSD)-NAND NVMe PCIe M.2 1 TB - Branded New | |
| 200 | USB Flash drive 16 GB (3.0) | |
| 201 | USB Flash drive 32 GB (3.0) | |
| 202 | USB Flash drive 64 GB (3.0) | |
| 203 | USB Flash drive 128GB (3.0) | |

SOUND SYSTEM & ACCESSORIES

| | | |
|-----|---|--|
| 204 | Headset with Mic- Wired with Noise Cancellation -Branded- Best Quality & Brand | |
| 220 | In Ear - Headphone Wired 2.5mm Jack -Branded | |
| 221 | Ceiling Mounted Speakers- 6W Output | |
| 222 | Omni-Directional desktop Mic- Branded (<i>Logitech, A4tech,Danny</i>) | |
| 223 | Portable Public Address system with MIC - Best Quality - Branded | |
| 224 | Professional Mic with Cable (15Ft)- XLR Cable- 6.5mm Jack Branded Original- Best Quality | |
| 225 | Audio Adapter XLR 3 Pin Female to 6.3 mm Jack Plug | |
| 226 | Lavalier Wire Mic with 3.5mm Jack - Branded | |
| 227 | Portable Lavalier Wire Mic with 2.5mm Jack - Branded | |
| 228 | Lavalier Wireless Mic - Branded | |
| 229 | Head Set Wireless Mic - Branded | |
| 230 | Dynamic Microphone- Wired- 6.5 mm Jack- Used with PA- Branded - Best Quality | |
| 231 | Gooseneck Microphone- wired with 6.5mm Jack- used with PA- Branded & Best Quality. | |
| 232 | Headphone with Mic-Branded-Best Quality | |
| 233 | Desktop Speakers (2.0) -Branded-Best Quality | |
| 234 | Desktop Speakers with Woofer (2.1) -Branded | |
| 235 | Wall-Mount Speaker- 20 Watts to 30 Watts | |
| 236 | P.A Mixer Amplifier Branded-Imported | |
| 237 | Electrical Cable Ducts - Dura Slot (100 mm x 100 mm) | |
| 238 | Electrical Cable Ducts - Dura Slot (150 mm x 150 mm) | |

Cables & Accessories (for Desktop PC)

| | | |
|-----|--|--|
| 239 | VGA Cable 15M high quality | |
| 240 | VGA Cable 20M high quality | |
| 241 | Standard HDMI Cable Flat (15M)- Best Quality | |
| 242 | Standard HDMI Cable Round (15M)-Best Quality | |
| 243 | Standard HDMI Cable Flat (5M)-Best Quality | |
| 244 | Standard HDMI Cable Flat (3M)-Best Quality | |
| 245 | Standard DP Cable (3M)-Best Quality | |
| 246 | VGA to HDMI Converter | |
| 247 | HDMI to VGA Converter | |
| 248 | VGA to DP Converter | |
| 249 | DP to VGA Converter | |
| 250 | SpeedX 5 in 1 Type C to Ethernet LAN HDMI USB C USB Adapter Multi Port Converter | |
| 251 | Type C to HDMI converter | |
| 252 | Cable Roll - RG59+ Power | |
| 253 | Cable Roll - RG59 Proline | |
| 254 | Flat telephone cable stranded wire 100 meters black, 4 wires | |
| 255 | Cable Roll - Single Pair (Telephone Wire)-RJ11 Connector | |
| 256 | Network Cable STP (Cat6-6a) Roll (Copper)-Best Quality Branded -24AWG 4-Pair, solid bare copper conductors -Overall aluminum foil shield - F/UTP -Bandwidth tested up to 750 MHz -Supports PoE, PoE+, and PoE++ | |
| 257 | Cat6 Outdoor W/Messenger Shielded Branded Original -23AWG 4-Pair, solid bare copper conductors -16AWG Steel Messenger -Overall aluminum foil shield - F/UTP -Bandwidth tested up to 550 MHz -Supports PoE, PoE+, and PoE++ | |

| Random Access Memory (RAMs) | | |
|------------------------------|---|--|
| 258 | RAM 4GB DDR3-Desktop | |
| 259 | RAM 8 GB DDR3-Desktop | |
| 260 | RAM 4GB DDR4-Desktop | |
| 261 | RAM 8GB DDR4-Desktop | |
| 262 | RAM 16GB DDR4-Desktop | |
| 263 | RAM 32GB DDR4-Desktop | |
| 264 | RAM 8GB DDR5-Desktop | |
| 265 | RAM 16GB DDR5-Desktop | |
| 266 | RAM 32GB DDR5-Desktop | |
| 267 | RAM 4GB DDR4 for Laptop | |
| 268 | RAM 8GB DDR4 for Laptop | |
| 269 | RAM 16GB DDR4 for Laptop | |
| 270 | RAM 8GB DDR5 for Laptop | |
| 271 | RAM 16GB DDR5 for Laptop | |
| SERVER & HARDWARE | | |
| 272 | RFID Cards- Branded | |
| 273 | RFID Card Scanner - Branded | |
| 274 | RFID Card Printer- Single Side | |
| 275 | RFID Card Printer- Dual Side | |
| 276 | Finger Print device with SDK | |
| 277 | QR Code Scanner | |
| 278 | Tablets 10 Inch- <i>PTA Approved</i> <i>Octa Core or Higher</i> <i>Android Latest Version</i> <i>WiFi+Sim</i> <i>8GB/64GB or Higher</i> <i>4200 mAh or Higher</i> | |
| 279 | Tablets 10 Inch- <i>PTA Approved</i> <i>OctaCore or Higher</i> <i>Android Latest Version</i> <i>WiFi only</i> <i>8GB/64GB or Higher</i> <i>4200 mAh or Higher</i> | |
| COMPUTER SYSTEM & MONITORS | | |
| 280 | Display Monitor 21" FHD-1920x1080, Wide Screen (1xVGA, 1xHDMI, 1xDP) | |
| 281 | Display Monitor 19.5" HD+ 1600 x 900 (1xVGA,1xHDMI, 1xDP) | |
| 282 | LCD/LED Monitor (30-inch or above) Pane size: 31.5" VA 1500R Resolution Full HD (1920×1080) minimum; Preferred: QHD (2560×1440) or 4K UHD (3840×2160) Display Surface: Non-Glare Refresh Rate: 65 Mhz HDR : VESA Display HDR 400 Connectivity : 2x HDMI & 2x Display Ports (DP) & 1 x VGA Port (Optional) Speakers Built-in stereo speakers (optional) | |
| 283 | Laptop (Original NEW) - (Box Pack with Carrying Bag)- (HP,DELL,TOSHIBA) <i>Intel Core i7- 13th Gen OR Above</i> Windows 10 Pro-Registered with Key MS Office 2016 or above with Key RAM : 8GB DDR4 or DDR5 Hard Disk : 2TB Solid State Drive : SSD 256GB PCIe NVMe M2 SSD or 512GB PCIe NVMe M2 SSD LAN/WiFi : Yes : 100/1000 Mbps - b/g/n/a/ac DVD RW-Optional 14.0" Back Lit Key Board Carrying case 1 Year after sales warranty with Warranty Cards & Brouchers. | |

| | |
|-----|---|
| 284 | Laptop (Original NEW) - (Box Pack with Carrying Bag)- (HP,DELL,TOSHIBA) |
| | <i>Intel Core i7- 13th Gen OR Above</i> |
| | Windows 10 Pro-Registered with Key |
| | MS Office 2016 or above with Key |
| | Graphic Card : 4GB dedicated or higher |
| | RAM : 16GB DDR4 |
| | Hard Disk : 2 TB (Internal) - or External |
| | Solid State Drive : 1TB PCIe NVMe M2 |
| | LAN : 100/1000 Mbps |
| | WiFi : b/g/n/a/ac |
| | DVD RW (optional) |
| | 15.6" or 14.1 " |
| | Back Lit Key Board |
| | 1 Year after sales warranty with Warranty Cards & Brouchers. |
| 285 | Desktop PC- Branded-(New) (Box Pack) |
| | <i>Intel® Core™ i7 processor 12th Generation or higher with Latest Specs</i> |
| | Windows 11 Pro- Registered with Key- Key should be provided Separately |
| | MS Office 2016 or above with Key- Key should be provided Separately |
| | RAM : 8 GB DDR4 or Latest |
| | Hard Disk : 2 TB |
| | Solid State Drive : PC SSD - SATA III 6 Gb/s, 2.5"/7mm- 250/256 GB (M2 or SATA) |
| | DVD Writer |
| | CPU: 1 HDMI Port, 1 DP Port, 1 VGA Port , Multi USB ports |
| | Wireless : 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo |
| | Expansion Slots : 1 M.2; 1 PCIe x16; 1 PCIe x1 |
| | Network Interface : Integrated 10/100/1000 GbE LAN |
| | LED Monitor- 21.0" (1VGA+HDMI+DP) |
| 286 | Desktop PC- Branded-(New) (Box Pack) |
| | <i>Intel® Core™ i5 processor 12th Generation or higher with Latest Specs</i> |
| | Windows 10 Pro-Registered- Key should be provided Separately |
| | MS Office 2016 or 2019 or above Registered - Key should be provided Separately |
| | RAM : 8GB DDR4 or Above |
| | Hard Disk : 2TB |
| | Solid State Drive : PC SSD - SATA III 6 Gb/s, 2.5"/7mm- 250/256 GB |
| | DVD Writer |
| | CPU : 1 HDMI Port, 1 DP Port, 1 VGA Port , Multi USB ports |
| | Wireless : 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo |
| | Expansion Slots : 1 M.2; 1 PCIe x16; 1 PCIe x1 |
| | Network Interface : Integrated 10/100/1000 GbE LAN |
| | LED Monitor 21.0" (1VGA+HDMI+DP) |
| 287 | Laptop (Original NEW) - Box Pack with Bag |
| | Apple M2 Chip with 8-Core CPU and 10-Core GPU-16 Core Neural Engine-100GBs Memory Bandwidth |
| | 8GB unified memory Configurable to:16GB or 24GB |
| | 13.3-inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with support for millions of colors |
| | 58.2-watt-hour lithium-polymer battery 67W USB-C Power Adapter |
| | 512GB SSD storage Configurable to: 1TB or 2TB |
| | Camera :: 720p FaceTime HD camera Advanced image signal processor with computational video |
| | Wi-Fi :: 802.11ax Wi-Fi 6 wireless networking IEEE 802.11a/b/g/n/ac compatible Bluetooth Bluetooth 5.0 wireless technology |
| | Retina display with True Tone |
| | Backlit Magic Keyboard with: : 65 (U.S.) or 66 (ISO) keys including 4 arrow keys in an inverted-T arrangement |
| | Touch Bar Touch ID Ambient light sensor Force Touch trackpad for precise cursor control and pressure-sensing capabilities; enables Force clicks, accelerators, pressure-sensitive drawing, and Multi-Touch gestures |
| | |
| | Two Thunderbolt / USB 4 ports |
| | Color: Space Grey |